

# PUBLIC NOTICES

**CERTIFICATION OF BUDGET COMPLIANCE**

The Fifth District Public Defender certifies all requirements for the adoption of the FY22 Amended Budget and the FY23 Budget and have been met according to law. 6/7,6/14,6/21,6/28

6/7,6/14,6/21,6/28

**NOTICE OF PUBLIC HEARING FOR ADOPTION OF PROPOSED FY23 AMENDED BUDGET AND PROPOSED FY24 BUDGET**

On Thursday, June 29, 2023, from 3:00 P.M. to 4:00 P.M., a public hearing will be held at the Public Defender’s Central Office, 108 Courthouse Square, Rayville, LA 71269, on the Proposed FY 2024 Budget and the Proposed FY23 Amended Budget. The Proposed Amended FY23 and the Proposed FY24 Budgets are available for public inspection at the Central Office located at 108 Courthouse Square, Rayville, Louisiana, 71269, Monday thru Thursday, 9:00 A.M.-12:00 P.M. and 1:00 P.M.- 3:00 P.M. The Budgets are also available for public inspection at the Police Jury’s Office in West Carroll Parish, Richland Parish and Franklin Parish during their regular business hours below:

Franklin Parish Police Jury	Richland Parish Police Jury	West Carroll Police Jury
6558 Main St. Winnsboro, LA 71295 LA	35 Lynn Gayle Robertson Rd Rayville, LA 71269	107 S. Briggs St Oak Grove, LA
318-435-9429	(318)728-2061	(318) 428-3390
Office Hours: 9:00 am to 5:00 pm	Office Hours: 7:30 am - 5:00 pm	Office Hours: 8:00 am to 4:30 pm
Monday to Friday	Monday – Thursday Friday	Monday-Friday
	7:30AM-11:30AM	

**FIFTH DISTRICT PUBLIC DEFENDER’S OFFICE**

John Albert Ellis Chief Public Defender The Fifth District Public Defender certifies all requirements for the adoption of the FY22 Amended Budget and the FY23 Budget and have been met according to law. 6/7,6/14,6/21,6/28

STATE OF LOUISIANA

PARISH OF FRANKLIN

WE, the Jury Commission in and for the Parish of Franklin, State of Louisiana, met on the 28<sup>th</sup>, day of September, 2022, having been subpoenaed by ANITA WYGAL, CLERK OF COURT and MEMBER OF THE JURY COMMISSION, for the purpose of drawing from the General Venire one hundred and fifty (150) names possessing the qualifications prescribed by law and in accordance with the Orders of this Court, dated September 21, 2022 and September 26, 2022 to serve as Petit Jurors for June 26, 2023, at 9:30 A.M., said list place in an envelope and placed in the Jury Box and Labeled “PETIT JURY VENIRE”; said names drawn as follows, to wit:

**FRANKLIN PARISH PETIT JURY- JUNE 26, 2023**

NO.	NAME	ADDRESS
	Quanderrian Demarque Addison	1419 Blanson St, Winnsboro, LA 71295-3002
	Christy Lynn Allen	1511 Gum St, Winnsboro, LA 71295-3007
	Debra Ann Allen	1809 Power St, Winnsboro, LA 71295-3544
	Howard Leslie Anderson	1145 HWY 875, Wisner, LA 71378-4833
	Tiffany L Armstrong	1004 Robinson Cir, Winnsboro, LA 71295-3868
	Amber Necole Augerson	PO Box 537, Gilbert, LA 71336-0537
	Patricia Jones Baker	PO Box 182, Wisner, LA 71378
	Michael A Banks	244 Rock Crossing LN, Winnsboro, LA 71295-6180
	Johnny B Bartmess	220 George Bartmess Rd, Winnsboro, LA 71295-6836
	Cierra Nicole Berry	208 Bond St., Gilbert, LA 71336-3404
	Golden K Berry	1716 Maple St., Winnsboro, LA 71295-3529
	Lue A Bessette	PO Box 756, Winnsboro, LA 71295-0756
	Regina G Binion	648 Willie Hill Rd., Gilbert, LA 71336-5858
	Stephen P Black	942 French Turn Rd, Winnsboro, LA 71295-5458
	Kevin E Blount	115 Wayne Ezell Rd., Winnsboro, LA 71295-5551
	Ronald Willis Boone	1912 hwy 132, Delhi, LA 71232-7159
	Terry Brown	6671 Kinloch St., Winnsboro, LA 71295-2613
	Leya Delane Bryan	1982 Hwy 857, Baskin, LA 71219
	Cary M Cheek	PO Box 238, Wisner, LA 71378-0238
	Howard F Clay	2905 Robinson Dr., Winnsboro, LA 71295-4047
	Deandra Monique Coleman	2204 Pinecrest St., Winnsboro, LA 71295-3539
	Regina Michelle Collinson	147 Hibbs Ln, Winnsboro, LA 71295
	Jerry L Cupp	2416 Lone Cedar Rd., Winnsboro, LA 71295-2320
	Kaye D Cupp	2416 Lone Cedar Rd., Winnsboro, LA 71295-2320
	Edward Lee Davis	1418 Blanson St., Winnsboro, LA 71295-3003
	Elizabeth Ann Dearman	145 Hutto Rd., Winnsboro, LA 71295-5707
	Roy D Denmon	234 Dupree Rd, Wisner, LA 71378-4820
	Maribeth Dietz-Lea	PO Box 1544, Winnsboro, LA 71295
	Minnie L Dilley	3686 HWY 135, Winnsboro, LA 71295-7544
	Ronald Joseph Duhamel Jr	479 Company Farm Rd, Baskin, LA 71219-9569
	Jeremy Duncan	840 Mckeithen Dr, Winnsboro, LA 71295-3415
	Tyler Allen Easterling	765 Deer Creek Rd, Winnsboro, LA 71295-5699
	Lynda Griffin Elkin	116 Jewel Hill Rd, Gilbert, LA 71336-5186
	Jeanette Emfinger	PO Box 698, Gilbert, LA 71336-0698
	Connie D Erwin	644 D Crain Rd, Winnsboro, LA 71295
	Douglas K Etheridge	2702 Robinson Dr, Winnsboro, LA 71295
	Cheryl G Ferrington	149 Duncan Rd, Winnsboro, LA 71295-6332
	Amy S Fortenberry	114 Dana Ln, Winnsboro, LA 71295-7408
	Sharyn Jean Frith	1056 Ward III School Rd, Winnsboro, LA 71295-7348
	Sheila S Fussell	240 Hwy 610, Winnsboro, LA 71295-6950
	Ginger D Garrett	128 Mossy Oak Ln, Winnsboro, LA 71295-5913
	Terry Barbdin Gillespie	180 Ponderosa Rd, Winnsboro, LA 71295-5684
	Patty McBroom Gilmore	215 Canal Rd, Winnsboro, LA 71295-7467
	Robert A Gladen	9200 Hwy 4, 71295-4951
	Stanley E Gorman	490 Curtis Traylor Rd, Winnsboro, LA 71295
	Destiny Katie Harrell	207 Heath Rd, Baskin, LA 71219-9702
	Sharon Denise Hartford	PO Box 953, Winnsboro, LA 71295-0953
	Zachery S Hays	658 Hayes Rd, Winnsboro, LA 71295-7736
	Jessie Heckard	1510 Harlem St, Winnsboro, LA 71295-3034
	Jaylon Alexander Hendrix	811 Carver St, Winnsboro, LA 71295-3860
	Sidney Henry Sr	1451 Calhoun Rd, Wisner, LA 71378-4810
	Monica Landraya Herron	1630 Hwy 15 S, Winnsboro, LA 71295-6039

Kevin Bradley Higginbottom	235 Ward III School Rd, Winnsboro, LA 71295-7337
Lardarrell Terrell Higgins	1809 Hatfield St #C, Winnsboro, LA 71295-3629
Nancy Nichols Hill	776 Moss Rd, Winnsboro, LA 71295-4712
Lisa B Hitt	635 D C Crain Rd, Winnsboro, LA 71295-4824
Raymond L Hoggatt	4081 HWY 562, Wisner, LA 71378-4511
Erma L Hooker	2803 Baldwin Dr, Winnsboro, LA 71295-4015
Graylon L Hughes	2018 Hwy 618, Winnsboro, LA 71295-4619
Deborah K Jackson	PO Box 342, Baskin, LA 71219-0342
Leothra Jackson,	2091 New Zion Rd, Winnsboro, LA 71295-7635
Womble L Jackson	1990 Mauld Rd, Winnsboro, LA 71295-5674
Travis Ray Jinks	1506 W P A Rd, Delhi, LA 71232-7389
Bradley Hunter Johns	189 Collins Rd, Winnsboro, LA 71295-5702
Catrina Roshell Johnson	1406 Maple Sr, Winnsboro, LA 71295-3001
Damon Sada Johnson	1436 Ellis Ln, Winnsboro, LA 71295-5511
Danny F Johnson	112 Oak St, Winnsboro, LA 71295-2418
Danyell Nichole Johnson	720 Hwy 577, Winnsboro, LA 71295-5370
Georgia Ann Johnson	8220 Hwy 17, Winnsboro, LA 71295-5421
Labrandon Dondarius Johnson	1323 Ellis Ln, Winnsboro, LA 71295-5510
Lacy Janice Johnson	2110 Cypress St, Winnsboro, LA 71295-3718
Lori Ann Johnson	1436 Ellis Ln, Winnsboro, LA 71295-5511
Barbara P Jones	2496 Hwy 130, Winnsboro, LA 71295
Johnny L Jones	PO Box 54, Wisner, LA 71378-0054
Phillip Winfield Jones	PO Box 1017, Winnsboro, LA 71295
Irvin J Ladry JR	980 Willie Hill Rd, Gilbert, LA 71336-5862
Arielle Kenyerrica Lane	PO Boc 549, Wisner, LA 71378-0549
Benjamin Ryan Lee	1821 Mauld Rd, Winnsboro, LA 71295-5673
Gary L Lee	PO Box 539, Winnsboro, LA 71295-0953
Doyle Ray Little, JR	424 A J Stephens Rd, Baskin, LA 71219-9507
Debra Kimball Loftin	PO Box 627, Wisner, LA 71378-0627
Kyle Zachary Martin	PO Box 899, Gilbert, LA 71336
W Kelly Martin	PO Box 639, Winnsboro, LA 71295
Barbara Ann Mccall	909 Robinson Cir, Winnsboro, LA 71295-3866
Amos R Mccarty	126 Lois St, Winnsboro, LA 71295-7186
Lindsay Leigh McKenzie	157 Martin Rd, Winnsboro, LA 71295-5720
John C Mclmore	1109 Warren St, Winnsboro, LA 71295-2553
Michael Dewayne Mcmahon	7300 Prairie Rd, Winnsboro, LA 71295-6693
Robert J Mcmahon	1020 HWY 135, Winnsboro, LA 71295-5840
Vernon E Mcmamus	1535 HWY 577, Winnsboro, LA 71295-5645
Stephen R McMurray	PO Box 84, Chase, LA 71324-0084
Jon Michael McMurry	507 Boeuf River Church Rd, Winnsboro, LA 71295-7407
Tommy Mcvay	805 Union Church Rd, Winnsboro, LA 71295-5223
Sharon Melvin	1519 HWY 869, Winnsboro, LA 71295-4658
Kathleen H Miles	382 HWY 869, Winnsboro, LA 71295-6427
Melissa S Miller	6255 Hwy 132, Baskin, LA 71219-9671
Roger D Moore	4052 HWY 135, Winnsboro, LA 71295-7548
Bernard M Myles	239 Myles Rd, Winnsboro, LA 71295-5287
Michael W Nelson	680 J J Hatton Rd, Winnsboro, LA 71295-7606
Shannon Newman	2199 Hwy 555, Winnsboro, LA 71295-6903
Calvin W Owens	550 Mccaleb Rd, Winnsboro, LA 71295-5803
Bary D Parker	1374 Hill Ridge Rd, Winnsboro, LA 71295-5272
Courtney Marie Parker	2301 Hwy 578, Winnsboro, LA 71295-6986
Kaila D Parker	192 Dennard LP, Winnsboro, LA 71295-7900
Lisa L Parks	746 Hwy 618, Winnsboro, LA 71295-4641
Jayne Ann Pierce	838 Carver St, Winnsboro, LA 71295-3859

Rita Pylant Pilgreen	4116 Hwy 17, Winnsboro, LA 71295-5444
Yolanda S Plater	PO Box 693, Wisner, LA 71378-0693
Dorothy J Pleasant	PO Box 823, Winnsboro, LA 71295
Floyd E Potter	510 8 <sup>th</sup> St, Winnsboro, LA 71295
Keisha Lynn Powell	PO Box 104, Winnsboro, LA 71295,0104
Mary Elizabeth Ragsdale	614 Company Farm Rd, Baskin, LA 71219-9563
Daniel Jordan Raley	325 Longview Rd, Winnsboro, LA 71295-5276
Angela Lain Reese	190 Isaac Rd, Winnsboro, LA 71295-5523
Danny L Robbins	231 Buster Robbins Rd, Winnsboro, LA 71295-4814
Larry G Robbins	300 Roberts Rd, Wisner, LA 71378-4757
Edward E Rodgers Jr	2572 Hwy 577, Winnsboro, LA 71295-5793
Diwana M Sanders	7964 Hwy 562, Extension, LA 71243-4016
Nickie Michelle Scriber	182 Acton Ln, Winnsboro, LA 71295
Tippi Nicole Sellers	2192 New Zion Rd, Winnsboro, LA 71295-7636
Sheila W Shirley	145 Hwy 867, Winnsboro, LA 71295-6103
Ada Marie Shuff	716 French Turn Rd, Winnsboro, LA 71295-5326
Dalton Smith	164 Ogden Cemetery LP, Winnsboro, LA 71295-5900
Tamisha Lakay Smith	PO Box 906, Wisner, LA 71378-0906
Sabrina Denise Spencer	849 Mckeithen Dr, Winnsboro, LA 71295-3416
Candace Ingram Spicer	246 Hwy 861, Winnsboro, LA 71295-5383
Katre C Stapleton	PO Box 1039, Winnsboro, LA 71295-1039
Sherrie Kanette Staten	137 Green Rd, Delhi, LA 71232-7133
Brittany Danielle Stephens	2300 Hwy 562, Gilbert, La 71295-3635
Sharleka Marshay Taylor	1703 Scott St #B, Winnsboro, LA 71295-3635
Sandra B Temple	328 Clyde Weems Lp, Gilbert, LA 71336-5115
Franchelsia N Thomas	818 Carver St, Winnsboro, LA 71295-3859
Johnnie E Thomas	PO Box 416, Sicily Island, LA 71368
Alena Kathlenn Touchet	141 Boeuf River Church Rd, Winnsboro, LA 71295-7403
Sandra Gayle Walker	PO Box 821, Winnsboro, LA 71295
Rodickes R Wallace	2713 Earle Dr, Winnsboro, LA 71295-4027
Richard Lynn Walters Jr	PO Box 53, Archibald, LA 71218-0053
Kaisha Shante Ward	1901 Womble St, Winnsboro, LA 71295-3641
Scottie L Weatherly	2178 Union Church Rd, Baskin, LA 71219
Christopher Scott Weems	461 Moss Rd, Winnsboro, LA 71295-4706
Taylor R Whitaker	309 Quail Ln, Winnsboro, LA 71295-4407
Cloid White	165 White Rd, Winnsboro, LA 71295-5742
Hoston Whitley Jr	1210 Gum St, Winnsboro, LA 71295-2825
Jeannie May Williams	1271 Hwy 555, Winnsboro, LA 71295-5362
Jenny Lynn Williams	115 HWY 867, Winnsboro, LA 71295-6103
Krasanthia Danyon Williams	834 Mckeithen Dr, Winnsboro, LA 71295-3415
Joseph Williamson	PO Box 402, Baskin, LA 71219-0402
Natosha Shortae Williamson	330 Mccaleb Rd, Winnsboro, LA 71295-5802
Willie Paul Wilson Jr	1219 Polk St, Winnsboro, LA 71295-2854
Billy W Wright	700 Union Church Rd, Winnsboro, LA 71295-5222

6/14

TOWN OF WINNSBORO

PUBLIC NOTICE

June 2, 2023

In accordance with Act 504 of the Louisiana Legislature, notice is hereby given that a Public Hearing will be held on Tuesday, June 20, 2023, at the Jack Hammons Community Center, 810 Adams Street, Winnsboro, Louisiana, at a regular scheduled meeting of the Board of Aldermen of the Town of Winnsboro, at 5:30 PM for the purpose of inspection and comments of the general budget of the Town of Winnsboro, Louisiana, for fiscal year beginning July 1, 2023 and ending June 30, 2024. The proposed budget is as follows:

	Revenue	Expenditures
General Fund	\$3,754,985.84	\$3,750,817.40
Special Revenue Fund	\$3,988,717.32	\$3,021,713.54
Utility System Fund	\$1,786,749.17	\$1,702,491.85

Copies of the proposed budget are available at the Town Hall, 3814 Front St., Winnsboro, LA 71295, and the Town Clerk’s Office, 3826 Front St., Winnsboro, LA 71295 for public inspection

All citizens are invited to attend all meetings to make known their thoughts and concerns in regards to all matters up for discussion.

Alice Wallace, Mayor  
6/7,6/14

TOWN OF WINNSBORO

PUBLIC NOTICE

June 2, 2023

Notice is hereby given that the Mayor and the Board of Aldermen of the Town of Winnsboro will consider the adoption of the following ordinances bearing the title of

- Adoption of Ordinance No. 1051: Amended Budget for FY 2022/2023
- Adoption of Ordinance No. 1052: Proposed Budget for FY 2023/2024

This public hearing will be held before a regular scheduled meeting on Tuesday, June 20, 2023 at 5:30 P.M. at the Jack Hammons Community Center, 810 Adams Street, Winnsboro, Louisiana.

All citizens are invited and strongly encouraged to attend all public meetings to make known their thoughts and concerns.

For more information, contact Mayor Alice Wallace or Town Clerk Julia Jackson at (318) 435-9087.

Julia Jackson, Town Clerk  
Alice Wallace, Mayor  
6/7,6/14

NOTICE

The Franklin Parish School Board is now accepting sealed bids for the hunting land lease located on Hwy. 135, Newt Williams Road in Liddieville, Sec. 16, T13N, R6E, containing approx. 160 acres known as “Liddieville Cut”. This hunting/recreational lease is for a three-year period only. This lease will become effective July 1, 2023 and run through June 30, 2026. The Franklin Parish School Board is putting a \$10.00 per acre minimum on this land lease bid. You can pick up a bid information letter at the school board office, Monday thru Thursday 8:00 a.m. to 3:00 p.m. Sealed bids must be received by 1:00 p.m. June 21, 2023 at the Franklin Parish School Board, 7293 Prairie Road, Winnsboro, LA. Bids will be opened at 1:30 p.m. June 21, 2023 at the School Board Office. Bids must be sealed and clearly marked “SEALED BID, Liddieville Cut”, if you have any questions, please contact Nan Lee at (318) 435-9046.

The Franklin Parish School Board reserves the right to accept or reject any and all bids.  
6/7,6/14,6/21

ADVERTISEMENT FOR BIDS 06.14.23

FRANKLIN PARISH SCHOOL BOARD (herein referred to as the “Owner”) Sealed bids marked “Sealed Bid” will be received by the owner for the construction of the project described as follows:

FRANKLIN PARISH SCHOOL BOARD FOOTBALL PRESS BOX PROJECT NO. 22138

Sealed bids shall be addressed to the Franklin Parish School Board and delivered to Franklin Parish School Board at 7293 Prairie Rd, Winnsboro, LA 71295 no later than 2:00 pm, Tuesday, July 11, 2023. Proposals shall be designated as “Sealed Bid” FRANKLIN PARISH SCHOOL BOARD PRESS BOX. All bids must be submitted on the proper form. The contractor must display his contractor’s license number prominently on the outside of the envelope. Any bids received after the specified time and date will not be considered. The sealed bids will be publicly opened and read aloud on July 11, 2023, at 2:00 pm, at the Franklin Parish School Board.

Each bona fide bidder must be registered with the Engineer and obtain Bid Documents from the Engineer in order to submit a bid. The Bidding documents must be obtained from the representative of PDG Engineering. An electronic copy of the bid documents will be sent to the email address provided by the bidder.

In accordance with RS 38:2212 (3) (b) plans and specifications shall be available to bidders until twenty-four hours before bid opening date. The Owner reserves the right to waive any informalities except the waiver of: 1) the signing of the bid; 2) the execution of the certificate of corporate principal and surety;

3) the acknowledgement of any addenda issued; 4) the execution of the bid bond, which always must accompany the bid in the correct amount; and 5) the requirement of a corporate resolution, if someone other than a corporate officer signs for the Bidder/Contractor. The Owner reserves the right to reject any and all bids.

Each bidder must deposit with his/her bid, security in the amount, form, and subject to the conditions provided in the Information for Bidders. Sureties used for obtaining bonds must appear as acceptable on the U.S. Department of Treasury Circular 570.

No bidder may withdraw his/her bid within forty-five (45) days after the actual date of the opening thereof. The Bid will remain subject to acceptance for forty-five (45) days after the Bid opening, or for such longer period of time that Bidder may agree to in writing upon request of Owner.

The Contractor shall begin mobilization and procurement of materials within ten (10) working days of the receipt of the Notice to Proceed.

The successful bidder will be required to execute the Owner’s Standard Form of Agreement/Contract for construction together with the Performance and Payment Bonds within ten (10) working days after issuance of the Notice of Award. Sureties used for obtaining bonds must appear as acceptable on the U.S. Department of Treasury Circular 570.

All awarded contractors will be required to attend a monthly meeting, with mandatory attendance from the Project Engineer, Resident Inspector and Contractor, or their authorized representatives, at the beginning of the month to review quantities for pay estimates, process change orders, review work performed during month and to discuss any problems which may have arisen.

Please notify the Franklin Parish School Board (318) 435-9046 seven (7) days in advance of the scheduled bid opening if special accommodation specified under ADA is required.

Chad Parks, PE  
PDG Engineering, LLC

6/14

Franklin Parish Police Jury

Notice of Public Hearing

Notice is hereby given that a public hearing will be held by the Franklin Parish Police Jury on July 17, 2023, beginning at 5:00 p.m. in the Franklin Parish Police Jury Meeting Room located in the Franklin Parish Courthouse at 6558 Main Street Winnsboro, LA 71295, for the topics.

- For the consideration of adopting Hibbs Lane into the parish road system, making it a public road.

- Amendment to Ordinance 3477, removing Precinct 6A.
- Amendment to Ordinance 3377 including taxes for short term rentals including Airbnb.

The jury will at the said time and place hear all comments in support of such matters or any objections thereto. Comments submitted in writing must be received before 4:00 p.m. on the date of the above hearings and be addressed to the address listed above.

In accordance with the Americans with Disabilities Act, if you will require special assistance, please provide advance notice to the Franklin Parish Police Jury Office (318-435-9429).

6/14,6/28,7/12

NOTICE

Board of Commissioners  
Franklin Parish Hospital  
Service District No. 1, d/b/a  
Franklin Medical Center  
March 23 2023 at 12:00 pm in the Hospital Conference Room  
In-Person: Paul Price, Jr.; Chairman, Jesse Young, Jan Hicks and Nick Poulos  
Absent: Greg Kincaid, Vice Chairman,  
Others In-Person: Blake Kramer, Administrator, Billy Page, CFO, April Winborne, DON, Charlotte Boone, Administrative Assistant, Marcy-Franklin Sun

Call to order: Paul Price, Jr.; Chairman  
Invocation  
Jan Hicks

Approval of Minutes:  
• A motion was made by Mr. Poulos and seconded by Mr. Young to approve the minutes from 02/23/2023. Motion carried unanimously.

Director of Nursing:  
• NNB  
Medical Staff:  
• NNB

Financials:  
• A motion was made by Dr. Hicks and seconded by Mr. Young to

# PUBLIC NOTICES

## PUBLIC NOTICES from Page 14A

### Employee of the Month

Mayor Alice Wallace announced the employee of the month for the month of May – Michael Thomas.

### Approval of the Minutes for April's Meeting

Motion by Jerry Johnson, seconded by Martez Singleton and unanimously approved to accept the minutes for April's monthly meeting.

**Resolution No. 23-0501: A RESOLUTION ORDERING AND CALLING A SPECIAL ELECTION TO BE HELD IN THE CITY OF WINNSBORO, STATE OF LOUISIANA, TO AUTHORIZE THE LEVY AND COLLECTION OF A SPECIAL TAX THEREIN; MAKING APPLICATION TO THE LOUISIANA STATE BOND COMMISSION AND PROVIDING FOR OTHER MATTERS IN CONNECTION THEREWITH**

William Boles explained the proposed resolution to add a new millage to the upcoming election ballot. Motion by Martez Singleton, seconded by Eddie Dunn and approved by the following vote:

YEAS: Martez Singleton, Dorothy Swayzer, and Eddie Dunn

NAYS: Jerry Johnson

ABSENT: Rex McCarthy

### Resolution No. 23-0502: Adopt Millage Rate for 2023

Motion by Eddie Dunn, seconded by Jerry Johnson and unanimously approved to adopt Resolution No. 23-0502.

### Resolution No. 23-0503: Authorizing Award for 2023 Street Improvements

Motion by Dorothy Swayzer, seconded by Martez Singleton and unanimously approved to adopt Resolution No. 23-0503.

### Resolution No. 23-0504: USDA Grant for Fire and Police – Cal

Motion by Eddie Dunn, seconded by Dorothy Swayzer and unanimously approved to adopt Resolution No. 23-0504.

### Resolution No. 23-0505: DRA Grant – Cal

Councilman Rex McCarthy entered the meeting at approximately 6:19 P.M.

Motion by Dorothy Swayzer, seconded by Martez Singleton and unanimously approved to adopt Resolution No. 23-0505.

**Resolution No. 23-0506: Winnsboro Main Street Economic Committee's donation to Landis Park**

Motion by Jerry Johnson, seconded by Rex McCarthy and unanimously approved to adopt Resolution No. 23-0506.

Resolution No. 23-0507: Water Sector Program – Sewer System Improvements  
Motion by Rex McCarthy, seconded by Martez Singleton and unanimously approved to adopt Resolution No. 23-0507.

Police Chief's Recommendation for Promotion

Motion by Rex McCarthy, seconded by Jerry Johnson and unanimously approved to accept the Chief's recommendation for the following promotions: Gabriel McWilliams – Corporal and Jamarsa Hill – Lieutenant.

### Police Chief's Monthly Report

Chief of Police Tyrone Coleman gave a monthly activity report for the Town of Winnsboro's Police Department. Motion by Rex McCarthy, seconded by Eddie Dunn and unanimously approved to accept the report.

### Fire Chief's Monthly Report

Fire Chief Jessie Morris gave a monthly activity report for the Town of Winnsboro Fire Department. Motion by Rex McCarthy, seconded by Jerry Johnson and unanimously approved to accept the report.

### Superintendent's Monthly Report

Cal Pierce gave a monthly activity report for the Town of Winnsboro's Public Works Department. Motion by Eddie Dunn, seconded by Dorothy Swayzer and unanimously approved to accept the monthly report.

### Monthly Financial Statements

Town Clerk Julia Jackson gave a monthly financial report for the month of April. Motion by Eddie Dunn, seconded by Martez Singleton and unanimously approved to accept the monthly report.

### Economic Development and Main Street Quarterly Report – Sam Sheppard

Sam Sheppard gave a quarterly report on Economic Development and an update on the activities at Main Street. Motion by Rex McCarthy, seconded by Jerry Johnson and unanimously approved to accept the report.

### Executive Session – Personnel Matters

Motion by Rex McCarthy, seconded by Eddie Dunn and unanimously approved to enter into Executive Session to discuss personnel matters.

Motion by Rex McCarthy, seconded by Eddie Dunn and unanimously approved to enter back into Regular Session.

### Adjournment

There being no more business to come before the board at this time, a motion was made by Rex McCarthy, seconded by Jerry Johnson and unanimously approved that this meeting be adjourned.

Julia Jackson, Town Clerk

Alice Wallace, Mayor

6/14

### NOTICE

The Franklin Parish School Board met for its regular scheduled agenda meeting on Tuesday, April 25, 2023 at 5:00 PM.

Present for the meeting were Mr. Eddie Ray Bryan, Mrs. Alaina Nichols, Mr. Danny Davis (late), Mr. Richard Kelly, Dr. Jacqueline Johnson, Mr. Matt Stephens and Ms. Laquetta Barnes.

Absent from the meeting, none.

President Eddie Ray Bryan called the meeting to order, Mr. Richard Kelly led in prayer and President Bryan led the Pledge of Allegiance.

Mrs. Alaina Nichols called the Finance Committee to order. Ms. Ellen Lane stated that there was no new business to report at this point and she would address the board at the regular meeting. Mrs. Nichols asked Ms. Lane what other type of retirement did the school board offer other than TRSL. If a Roth 403 b was available to employees. Ms. Lane said that she would check on that and get back with her. Mr. Gullatt mentioned that he would like to present options during the beginning of the year meetings with staff. With no other business to report, Mrs. Nichols adjourned the Finance Committee meeting.

Dr. Jacqueline Johnson called the Maintenance Committee Meeting to order. Mr. John Gullatt stated that as of today all campuses were in good shape. We are doing some patching at the high school in the girls dressing room where there was some leaking around a drain in the ceiling. Mrs. Nichols asked about the locker room at the track building. Mr. Gullatt briefed the board letting them know that the lockers have arrived and will be installed soon. There are also partitions that still need to be placed and some sheetrock work at the girls softball dressing room and concession stand. The press box will be getting some additional concrete poured to level that area. Mr. Kelly asked about an update on the air conditioning system in the field house. Mr. Gullatt said, "There is a plan worked out by Mr. Lawrence." He has found a couple of things going on with the system and has fixed those problems. Some included moving the thermostats away from the sensors but it will be an on-going issue until it is replaced. Mrs. Nichols asked, "So they will be replaced." Mr. Gullatt answered, "Yes." We will need to get the finances set to go with the project. With no other business to discuss, Dr. Johnson adjourned the Finance Committee meeting.

MOTION TO APPROVE AGENDA FOR MAY 2, 2023 REGULAR MEETING.

ORDINANCE #2023-04-0007

BE IT ORDAINED, ETC., that the Franklin Parish School Board approved the agenda for the May 2, 2023, regular meeting.

MOTION: Dr. Jacqueline Johnson

SECOND: Mrs. Alaina Nichols

YEAS: Mr. Eddie Ray Bryan, Mrs. Alaina Nichols, Mr. Danny Davis, Mr. Richard Kelly,

Dr. Jacqueline Johnson, Mr. Matt Stephens and Ms. Laquetta Barnes.

NAYS: None

ABSENT AND/OR NOT VOTING: None

The motion was approved.

Mr. John Gullatt, Secretary-Treasurer

Franklin Parish School Board

Mr. Eddie Ray Bryan, President

Franklin Parish School Board

NOTICE OF PUBLIC MEETING:

April 25, 2023, Agenda Meeting

FRANKLIN PARISH SCHOOL BOARD COMPLEX

7293 PRAIRIE ROAD

WINNSBORO, LA 71295

Board Room, 5:00 p.m.

CALL TO ORDER: President

INVOCATION: Chaplain

PLEDGE OF ALLEGIANCE: President

COMMITTEE MEETING:

Finance Committee: Mrs. Alaina Nichols, Chair

Maintenance Committee: Dr. Jacqueline Johnson, Chair

I. Approval of Agenda for May 2, 2023, regular meeting.

II. Approval of minutes from April 11, 2023 regular meeting.

III. Recognition of Visitors – DeLayne Donnell - ACT recognition

Troy Bell - District Awards for the month of May

Shelby James-Talented Arts Showcase Winners

IV. Business -

A. To consider and/or take action on Pandemic Services Payment. (Gullatt)

B. To consider and/or take action on discarding of old and/or inoperative, obsolete Equipment located at the Franklin Parish School Board. (Gullatt)

C. To consider and/or take action on adopting 2023 Millage Rates.

(Aid to Ed. =4.54; Constitutional=4.62; Reno & Operation=15.67; Total Millage=24.83) (Lane)

D. To discuss the Verizon STEM Camp at Dillard University, presented by Nelda Lawrence at the April 11, 2023 Regular Meeting.

E. To consider and/or take action on Policy DCF: Fund Balances. (Laid over 30 days) (Lain)

F. To discuss the possibility of hiring a grant writer. (Stephens)

G. To consider and/or take action on awarding the FPSB CNP Large Equipment Bid to Associated Food Equipment and Supplies. (Nolan)

V. Business Manager Report

VI. Superintendent's Report

VII. President's Report

VIII. Adjourn

VISITOR: None

TO DISCUSS THE VERIZON STEM CAMP AT DILLARD UNIVERSITY

Mr. John Gullatt started the discussion, saying he applauded the idea. There were several concerns, the first is the cost, not only for the camp but there is also the sheriff's office fees. The Como Foundation is donating just over \$29,000. Along with that, Mrs. Nelda Lawrence is asking the school board for \$30,000. Another worry is the area in which the camp will be held, it is said that it is not a very safe area. Mr. Gullatt's thought at this moment is to say, "Not now". "I think the idea is great. What I would like to do, is not take this trip this summer, but not to disregard the idea of seeing if there is something like this in and around here. Something that is closer and doesn't require us sending our babies down to New Orleans for three weeks," explained Mr. Gullatt. He also stated that there would be a large group going to the Teacher Leader Summit. "I don't want to send anyone there, but it is required," stated Mr. Gullatt. I do not want to bury Mrs. Lawrence's idea, her vision, her plan, but I feel we need to find a better location. Mr. Bell informed the board that he has reached out to Mrs. Lawrence for some information but she has not made contact with him. Mr. Bell stated that he knew there were some discrepancies about how many actual chaperones they were having and where the dollar amounts of the chaperones came from. He believed that we do not do this at this time but we do not lose that thought. He considered the camp a great idea.

Mrs. Nichols asked if there was a mobile STEM camp available. I think Delta, ULM, Tech, one of them are surely doing something like that, there are STEM projects happening everywhere. I feel she is well intentioned, I just feel we need to find something closer and less costly. Mrs. Nichols asked, "Didn't someone's vehicle get broken into last year at Teacher Leader?" Mr. Bell answered, "Yes, it was me."

Dr. Johnson wanted to let Mr. Gullatt know that the program with Winnsboro Elementary students is very dear to her heart. She wanted to say she understands and agrees from a financial stand-point, but she thinks the one thing that's missing from this equation is the fact those kids from Winnsboro Elementary, the ingredient missing here is those kids need to see someone like them. I spoke with Mrs. Lawrence the other day; I shared with her it would have come off better if she had offered it to all schools in the parish. "I get what you are saying, the logic behind it, the one thing we all need to understand, those children, if you take them to ULM or Tech, you might as well not even take them. Because if they do not see someone like them being successful, it means nothing. I feel sending them to another STEM camp is not the answer. They need to see people like them succeed. It is not as easy for non-black people to see. I support what you are saying because as a leader you are right," explained Dr. Johnson. Mr. Gullatt said, "I think with more time and better planning we will be able to pull off this type of trip."

Mr. Davis mentioned that he asked his daughter that works at Grambling University if there was anything similar happening there. He apologized that he has not gotten back with her on the subject. I was leery about sending our children to New Orleans; it is not a safe place. Dr. Johnson mentioned to see if there was a traveling STEM camp. Mrs. Nichols said again that she was wondering the same thing, whether it was Grambling or Southern. Mr. Gullatt repeated that he feels it is a great idea, but we as a group are uncomfortable with the implementation of it. Even at Dillard, it was 3 days, 5 days; it is the three weeks of coming back and forth that troubled me. To me there were still too many unknown factors. I have to have peace of mind about it. Feeling that our students and chaperones are safe, I am just not there. Ms. Barnes interjected to say, "I agree with Dr. Johnson. Hearing the female students speaking about how excited they were to see a black Disney Princess." I also know that Monroe is one of the top Most Dangerous Cities in the United States. We have to learn there is going to be a level of danger no matter where we are. The same thing can happen to us here. I do not want to send that message that we are firm on this, we do not want this. I feel it was not well thought out, there were just too many gaps on how the money was going to be spent. The amount of money needed is more than some people make. Mr. Gullatt let the board know that he will contact Mrs. Lawrence and inform what the board has decided and to let her know that we will not be going to Dillard at this time, not that we do not like the idea and the value of culture that it would bring, it is the other things that are involved. I feel that we need to check on the STEM camp that is offered at Grambling at this time. We do not want this idea to die. Maybe something is offered during the summer that will target the same group. Mrs. Nichols would like to open this opportunity up to every school in the district and maybe the planning of the camp will be more precise. Mr. Bell wanted to go through the financial aspect; there were several reasons why Title One could not pay for the trip. Of the \$30,000, \$24,000 was for the chaperones hourly rate and meals. Title One could not pay for this. We can only fund activities like this if it is across the board district-wide. One of the main guidelines is that it is offered district-wide.

TO DISCUSS THE POSSIBILITY OF HIRING A GRANT WRITER.

Mr. Matt Stephens addressed the board that he had been looking into companies that write grants. He said that he understood that it was one-time money but most grants are one-time. He feels that there are grants out there that could help teachers throughout the district, but you do not know where to look. Mr. Gullatt reminded the board that this item was not an item to vote on but another discussion. We will look into it. Mrs. Nicholas asked how many systems have grant writers or do they hire in-house. Mr. Gullatt said that smaller districts hire in-house as a percentage. Everyone felt it was something good to look into.

### SUPERINTENDENT'S REPORT

We are getting to the end of the year. Everyone is gearing up for testing. I hope that the internet stays up and running. Testing is just a small thing that goes on at schools. We won a state award last year; maybe we can do it again. Our principals and teachers work hard every day to get better. It is getting better; I have seen small things every day. We just need to be patient.

### PRESIDENT'S REPORT

Mr. Eddie Ray Bryan wanted to congratulate the girls' softball team and their accomplishments this year. I cannot wait to see where the boy's baseball team will end their year. Every time I come to town I pass the field, it is steadily improving. Mr. Kelly is the one who got the ball rolling on that. Helping to raise the funds needed. If it were not for him, we would probably still be playing on the city's field. Mr. Kelly said it looks a lot better than when we started. It is steadily improving. It is not the eyesore everyone thought it was going to be, having a ballfield at the front of the school.

Mr. Bryan said going back to testing; there is more to education than testing. The personnel at the schools do more than education. It is also the social aspect of everything, teaching them to engage with others, have fun and make lifelong friends.

He is glad that we have agenda meetings to allow us to discuss and get to talk about items. I appreciate the opportunity that this gives us a platform to talk about things that we would not get to otherwise.

### MOTION TO ADJOURN

ORDINANCE # 2023-04-0008

BE IT ORDAINED, ETC., that there being no further business to discuss the agenda meeting was adjourned.

MOTION: Mrs. Alaina Nichols

SECOND: Dr. Jacqueline Johnson

YEAS: Mr. Eddie Ray Bryan, Mrs. Alaina Nichols, Mr. Danny Davis, Mr. Richard Kelly,

Dr. Jacqueline Johnson, Mr. Matt Stephens and Ms. Laquetta Barnes.

NAYS: None

ABSENT AND/OR NOT VOTING: None

The motion was approved.

Mr. John Gullatt, Secretary-Treasurer

Franklin Parish School Board Mr. Eddie Ray Bryan, President

Franklin Parish School Board

6/14

### NORTH FRANKLIN WATER WORKS

Public Water Supply ID: LA1041003

We are pleased to present to you the Annual Water Quality Report for the year 2022. This report is designed to inform you about the quality of your water and services we deliver to you every day (Este informe contiene información muy importante sobre su agua potable. Tradúzcalo o hable con alguien que lo entienda bien). Our constant goal is to provide you with a safe and dependable supply of drinking water. We want you to understand the efforts we make to continually improve the water treatment process and protect our water resources. We are committed to ensuring the quality of your water.

Our water source(s) are listed below:

Source Name	Source Water Type
CHAPMAN ROAD WELL #6 (NF7)	Ground Water
CHAPMAN ROAD WELL #10	Ground Water
CHAPMAN ROAD WELL #5 (NF6)	Ground Water
CHAPMAN ROAD WELL #8	Ground Water
WELL #3 - KILNE RD	Ground Water
CHAPMAN ROAD WELL #11	Ground Water
WELL #2 - KILNE RD	Ground Water
CHAPMAN ROAD WELL #9	Ground Water
CHAPMAN ROAD WELL #4 (NF5)	Ground Water

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of land or through the ground, it dissolves naturally-occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity. Contaminants that may be present in source water include:

**Microbial Contaminants** – such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.

**Inorganic Contaminants** – such as salts and metals, which can be naturally-occurring or result from urban stormwater runoff, industrial, or domestic wastewater discharges, oil and gas production, mining, or farming.

**Pesticides and Herbicides** – which may come from a variety of sources such as agriculture, urban stormwater runoff, and residential uses.

**Organic Chemical Contaminants** – including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum products, and can also come from gas stations, urban stormwater runoff, and septic systems.

**Reactive Contaminants** – which can be naturally-occurring or be the result of oil and gas production and mining activities.

A Source Water Assessment Plan (SWAP) is now available from our office. This plan is an assessment of a delineated area around our listed sources through which contaminants, if present, could migrate and reach our source water. It also includes an inventory of potential sources of contamination within the delineated area, and a determination of the water supply's susceptibility to contamination by the identified potential sources. According to the Source Water Assessment Plan, our water system had a susceptibility rating of "MEDIUM". If you would like to review the Source Water Assessment Plan, please feel free to contact our office.

In order to ensure that tap water is safe to drink, EPA prescribes regulations which limit the amount of certain contaminants in water provided by public water systems. Food and Drug Administration regulations establish limits for contaminants in bottled water which must provide the same protection for public health. We want our valued customers to be informed about their water utility. If you have any questions about this report, want to attend any scheduled meetings, or simply want to learn more about your drinking water, please contact DEVON GOODMAN at 318-722-3589.

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. NORTH FRANKLIN WATER WORKS is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at <http://www.epa.gov/safewater/lead>.

The Louisiana Department of Health routinely monitors for constituents in your drinking water according to Federal and State laws. The tables that follow show the results of our monitoring during the period of January 1st to December 31st, 2022. Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk.

In the tables below, you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms, we've provided the following definitions:

**Parts per million (ppm) or Milligrams per liter (mg/L)** – one part per million corresponds to one minute in two years or a single penny in \$10,000.

**Parts per billion (ppb) or Micrograms per liter (ug/L)** – one part per billion corresponds to one minute in 2,000 years, or a single penny in \$10,000,000.

**Picocuries per liter (pCi/L)** – picocuries per liter is a measure of the radioactivity in water.

**Treatment Technique (TT)** – an enforceable procedure or level of technological performance which public water systems must follow to ensure control of a contaminant.

**Action Level (AL)** – the concentration of a contaminant that, if exceeded, triggers treatment or other requirements that a water system must follow.

**Maximum contaminant level (MCL)** – the "Maximum Allowed" MCL is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLG as is feasible using the best available treatment technology.

**Maximum contaminant level goal (MCLG)** – the "Goal" is the level of a contaminant in drinking water below which there is no known or expected risk to human health. MCLG's allow for a margin of safety.

**Maximum residual disinfectant level (MRDL)** – The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

**Maximum residual disinfectant level goal (MRDLG)** – The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

**Level 1 Assessment** – A study of the water system to identify potential problems and determine (if possible) why total coliform bacteria have been found in our water system.

**Level 2 Assessment** – A very detailed study of the water system to identify potential problems and determine (if possible) why an E. coli MCL violation has occurred and/or why total coliform bacteria have been found in our water system on multiple occasions.

During the period covered by this report we had the below noted violations.

Compliance Period	Analyte	Type
No Violations Occurred in the Calendar Year of 2022		

Our water system tested a minimum of 9 samples per month in accordance with the Total Coliform Rule for microbiological contaminants. With the microbiological samples collected, the water system collects disinfectant residuals to ensure control of microbial growth.

Disinfectant	Date	HighestRAA	Unit	Range	MRDL	MRDLG	Typical Source
CHLORINE	2022	1.2	ppm	0.5 - 2.06	4	4	Water additive used to control microbes.

In the tables below, we have shown the regulated contaminants that were detected. Chemical Sampling of our drinking water may not be required on an annual basis; therefore, information provided in this table refers back to the latest year of chemical sampling results. To determine compliance with the primary drinking water standards, the treated water is monitored when a contaminant is elevated in the source water.

Source Water Regulated Contaminants	Collection Date	Highest Value	Range	Unit	MCL	MCLG	Typical Source
ANTIMONY, TOTAL	11/14/2022	1.5	0 - 1.5	ppb	6	6	Discharge from petroleum refineries; fire retardants; ceramics; electronics/solder
ARSENIC	11/14/2022	6.7	1.5 - 6.7	ppb	10	0	Erosion of natural deposits; Runoff from orchards; Runoff from glass and electronics production wastes
BERYLLIUM, TOTAL	11/14/2022	1	0 - 1	ppb	4	4	Discharge from metal refineries and coal-burning factories; Discharge from electrical, aerospace, and defense industries
FLUORIDE	11/14/2022	0.2	0.2	ppm	4	4	Erosion of natural deposits; Water additive which promotes strong teeth; Discharge from fertilizer and aluminum factories
SELENIUM	11/14/2022	10	0 - 10	ppb	50	50	Discharge from petroleum and metal

# PUBLIC NOTICES

## PUBLIC NOTICES from Page 15A

arsenic which is a mineral known to cause cancer in humans at high concentrations and is linked to other health effects such as skin damage and circulatory problems.

There are no additional required health effects violation notices.

Thank you for allowing us to continue providing your family with clean, quality water this year. In order to maintain a safe and dependable water supply we sometimes need to make improvements that will benefit all of our customers.

We at the NORTH FRANKLIN WATER WORKS work around the clock to provide top quality drinking water to every tap. We ask that all our customers help us protect and conserve our water sources, which are the heart of our community, our way of life, and our children's future.

6/14

### The Water We Drink

#### WINNSBORO WATER SYSTEM Public Water Supply ID: LA1041006

We are pleased to present to you the Annual Water Quality Report for the year 2022. This report is designed to inform you about the quality of your water and services we deliver to you every day. (Este informe contiene información muy importante sobre su agua potable. Tradúzcalo o hable con alguien que lo entienda bien). Our constant goal is to provide you with a safe and dependable supply of drinking water. We want you to understand the efforts we make to continually improve the water treatment process and protect our water resources. We are committed to ensuring the quality of your water. Our water source(s) are listed below:

Source Name	Source Water Type
WELL NO. 4	Ground Water
WELL NO. 5	Ground Water
WELL NO. 1	Ground Water
WELL NO. 2	Ground Water
WELL NO. 3	Ground Water

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of land or through the ground, it dissolves naturally-occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity. Contaminants that may be present in source water include:

- Microbial Contaminants** - such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.
- Inorganic Contaminants** - such as salts and metals, which can be naturally-occurring or result from urban stormwater runoff, industrial, or domestic wastewater discharges, oil and gas production, mining, or farming.
- Pesticides and Herbicides** - which may come from a variety of sources such as agriculture, urban stormwater runoff, and residential uses.
- Organic Chemical Contaminants** - including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations, urban stormwater runoff, and septic systems.
- Radioactive Contaminants** - which can be naturally-occurring or be the result of oil and gas production and mining activities.

A Source Water Assessment Plan (SWAP) is now available from our office. This plan is an assessment of a delineated area around our listed sources through which contaminants, if present, could migrate and reach our source water. It also includes an inventory of potential sources of contamination within the delineated area, and a determination of the water supply's susceptibility to contamination by the identified potential sources. According to the Source Water Assessment Plan, our water system had a susceptibility rating of "HIGH". If you would like to review the Source Water Assessment Plan, please feel free to contact our office.

In order to ensure that tap water is safe to drink, EPA prescribes regulations which limit the amount of certain contaminants in water provided by public water systems. Food and Drug Administration regulations establish limits for contaminants in bottled water which must provide the same protection for public health. We want our valued customers to be informed about their water utility. If you have any questions about this report, want to attend any scheduled meetings, or simply want to learn more about your drinking water, please contact ALICE WALLACE at 318-435-9087.

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. WINNSBORO WATER SYSTEM is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at <http://www.epa.gov/safewater/lead>.

The Louisiana Department of Health routinely monitors for constituents in your drinking water according to Federal and State laws. The tables that follow show the results of our monitoring during the period of January 1st to December 31st, 2022. Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk.

In the tables below, you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms, we've provided the following definitions:

- Parts per million (ppm) or Milligrams per liter (mg/L)** - one part per million corresponds to one minute in two years or a single penny in \$10,000.
- Parts per billion (ppb) or Micrograms per liter (µg/L)** - one part per billion corresponds to one minute in 2,600 years, or a single penny in \$10,000,000.
- Picolesis per liter (pCi/L)** - picolesis per liter is a measure of the radioactivity in water.
- Treatment Technique (TT)** - an enforceable procedure or level of technological performance which public water systems must follow to ensure control of a contaminant.
- Action Level (AL)** - the concentration of a contaminant that, if exceeded, triggers treatment or other requirements that a water system must follow.
- Maximum contaminant level (MCL)** - the "Maximum Allowed" MCL is the highest level of a contaminant that is allowed in drinking water. MCL's are set as close to the MCLG's as feasible using the best available treatment technology.
- Maximum contaminant level goal (MCLG)** - the "Goal" is the level of a contaminant in drinking water below which there is no known or expected risk to human health. MCLG's allow for a margin of safety.
- Maximum residual disinfectant level (MRDL)** - The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.
- Maximum residual disinfectant level goal (MRDLG)** - The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLG's do not reflect the benefits of the use of disinfectants to control microbial contaminants.
- Level 1 Assessment** - A study of the water system to identify potential problems and determine (if possible) why total coliform bacteria have been found in our water system.
- Level 2 Assessment** - A very detailed study of the water system to identify potential problems and determine (if possible) why an E. coli MCL violation has occurred and/or why total coliform bacteria have been found in our water system on multiple (if possible) occasions.

During the period covered by this report we had the below noted violations.

Compliance Period	Analyte	Type
9/6/2022	GROUNDWATER RULE	FAILURE ADDRESS DEFICIENCY (GWR)
9/6/2022	GROUNDWATER RULE	FAILURE ADDRESS DEFICIENCY (GWR)
9/6/2022	GROUNDWATER RULE	FAILURE ADDRESS DEFICIENCY (GWR)
9/6/2022	GROUNDWATER RULE	FAILURE ADDRESS DEFICIENCY (GWR)
9/6/2022	GROUNDWATER RULE	FAILURE ADDRESS DEFICIENCY (GWR)
9/6/2022	GROUNDWATER RULE	FAILURE ADDRESS DEFICIENCY (GWR)

Our water system tested a minimum of 8 samples per month in accordance with the Total Coliform Rule for microbiological contaminants. With the microbiological samples collected, the water system collects disinfectant residuals to ensure control of microbial growth.

Disinfectant	Date	Highest RAA	Unit	Range	MRDL	MRDLG	Typical Source
CHLORINE	2022	0.9	ppm	0.31 - 1.66	4	4	Water additive used to control microbes.

In the tables below, we have shown the regulated contaminants that were detected. Chemical Sampling of our drinking water may not be required on an annual basis; therefore, information provided in this table refers back to the latest year of chemical sampling results. To determine compliance with the primary drinking water standards, the treated water is monitored when a contaminant is elevated in the source water.

Source Water Regulated Contaminant	Collection Date	Highest Value	Range	Unit	MCL	MCLG	Typical Source
FLUORIDE	12/19/2022	0.2	0.2	ppm	4	4	Erosion of natural deposits; Water additive which promotes strong teeth; Discharge from fertilizer and aluminum factories

Treated Water Regulated Contaminant	Collection Date	Highest Value	Range	Unit	MCL	MCLG	Typical Source
NITRATE	5/9/2022	1.7	1.7	ppm	10	10	Runoff from fertilizer use; Leaching from septic tanks, sewage; Erosion of natural deposits
NITRATE-NITRITE	5/9/2022	1.7	1.7	ppm	10	10	Runoff from fertilizer use; Leaching from septic tanks, sewage; Erosion of natural deposits

Source Water Radiological Contaminant	Collection Date	Highest Value	Range	Unit	MCL	MCLG	Typical Source
No Detected Results were Found in the Calendar Year of 2022.							

Treated Water Radiological Contaminant	Collection Date	Highest Value	Range	Unit	MCL	MCLG	Typical Source
No Detected Results were Found in the Calendar Year of 2022.							

Lead and Copper	Date	99 <sup>TH</sup> Percentile	Range	Unit	AL	Sites Over AL	Typical Source
COPPER-FREE	2020 - 2022	0.3	0 - 0.3	ppm	1.3	0	Corrosion of household plumbing systems; Erosion of natural deposits; Leaching from wood preservative

Disinfectant Byproduct	Sample Point	Period	Highest LRAA	Range	Unit	MCL	MCLG	Typical Source
TOTAL HALOACETIC ACIDS (THAA's)	DAVIS PARK & BIGHWAY 15	2022	2	2.46 - 2.46	ppb	60	0	By-product of drinking water disinfection
TOTAL HALOACETIC ACIDS (THAA's)	HWY 618 AND HWY 869	2022	2	1.68 - 1.65	ppb	60	0	By-product of drinking water disinfection
THM	DAVIS PARK & BIGHWAY 15	2022	6	6.3 - 6.3	ppb	80	0	By-product of drinking water chlorination
THM	HWY 618 AND HWY 869	2022	3	2.6 - 2.6	ppb	80	0	By-product of drinking water chlorination

Source Secondary Contaminants	Collection Date	Highest Value	Range	Unit	SMCL
ALUMINUM	12/19/2022	0.03	0 - 0.3	MG/L	0.2
CHLORIDE	12/19/2022	20	20	MG/L	250
MANGANESE	12/19/2022	0.01	0 - 0.1	MG/L	0.05
PH	12/19/2022	6.15	6 - 15	PH	8.5

Sulfate	12/19/2022	3	3	MG/L	250
Treated Secondary Contaminants	Collection Date	Highest Value	Range	Unit	SMCL
IRON	5/6/2022	0.22	0 - 0.22	MG/L	0.3
MANGANESE	5/6/2022	0.06	0 - 0.06	MG/L	0.05
Unresolved significant deficiencies that were identified during a survey done on the water system are shown below.					
Date Identified	Facility	Code	Activity	Due Date	Description
11/12/2021	HIGH SERVICE PUMP STATION - HWY 135	200T101	GWR APPROVED CORRECTIVE ACTION PLAN	1/1/2023	LAC 51-XII.319.D.24 - System shall ensure that no critical water system component is in poor condition or defective.
11/12/2021	MAIN TREATMENT PLANT - HWY 135	20MG58	GWR ADDRESS T145 DEFICIENCIES	3/15/2022	LAC 51-XII.319.D.2 and LAC 51-XII.135.A - Dedicated standby power shall be provided by any community water supply and any non-community water supply serving a hospital so that water can be treated and/or pumped to the distribution system during power outages to meet the average daily demand during the month of maximum water use. A standby power supply shall be provided through a dedicated portable or in-place auxiliary power of adequate supply and connectivity.
11/12/2021	HIGH SERVICE PUMP STATION - HWY 135	200T101	GWR APPROVED CORRECTIVE ACTION PLAN	6/7/2022	LAC 51-XII.319.D.24 - System shall ensure that no critical water system component is in poor condition or defective.
11/12/2021	HIGH SERVICE PUMP STATION - HWY 135	200T101	GWR ADDRESS T145 DEFICIENCIES	3/15/2022	LAC 51-XII.319.D.24 - System shall ensure that no critical water system component is in poor condition or defective.
11/12/2021	ELEVATED TANK - OAK ST	200T101	GWR APPROVED CORRECTIVE ACTION PLAN	1/1/2023	LAC 51-XII.319.D.24 - System shall ensure that no critical water system component is in poor condition or defective.
11/12/2021	ELEVATED TANK - OAK ST	200T101	GWR APPROVED CORRECTIVE ACTION PLAN	9/5/2022	LAC 51-XII.319.D.24 - System shall ensure that no critical water system component is in poor condition or defective.
11/12/2021	ELEVATED TANK - OAK ST	200T101	GWR APPROVED CORRECTIVE ACTION PLAN	6/7/2022	LAC 51-XII.319.D.24 - System shall ensure that no critical water system component is in poor condition or defective.
11/12/2021	ELEVATED TANK - OAK ST	200T101	GWR ADDRESS T145 DEFICIENCIES	3/15/2022	LAC 51-XII.319.D.24 - System shall ensure that no critical water system component is in poor condition or defective.
11/12/2021	ELEVATED TANK - INDUSTRIAL PARK DR	200T103	GWR APPROVED CORRECTIVE ACTION PLAN	1/1/2023	LAC 51-XII.319.D.25 - All potable water systems shall be designed, constructed and maintained so as to prevent leakage of water due to defective materials, improper jointing, corrosion, settling, impacts, freezing, or other causes. Valves and blow-offs shall be provided so that necessary repairs can be made with a minimum interruption of service.
11/12/2021	ELEVATED TANK - INDUSTRIAL PARK DR	200T103	GWR APPROVED CORRECTIVE ACTION PLAN	9/5/2022	LAC 51-XII.319.D.25 - All potable water systems shall be designed, constructed and maintained so as to prevent leakage of water due to defective materials, improper jointing, corrosion, settling, impacts, freezing, or other causes. Valves and blow-offs shall be provided so that necessary repairs can be made with a minimum interruption of service.
11/12/2021	ELEVATED TANK - INDUSTRIAL PARK DR	200T103	GWR ADDRESS T145 DEFICIENCIES	3/15/2022	LAC 51-XII.319.D.25 - All potable water systems shall be designed, constructed and maintained so as to prevent leakage of water due to defective materials, improper jointing, corrosion, settling, impacts, freezing, or other causes. Valves and blow-offs shall be provided so that necessary repairs can be made with a minimum interruption of service.
11/12/2021	MAIN TREATMENT PLANT - HWY 135	20MG58	GWR APPROVED CORRECTIVE ACTION PLAN	1/1/2023	LAC 51-XII.319.D.25 - All potable water systems shall be designed, constructed and maintained so as to prevent leakage of water due to defective materials, improper jointing, corrosion, settling, impacts, freezing, or other causes. Valves and blow-offs shall be provided so that necessary repairs can be made with a minimum interruption of service.
11/12/2021	MAIN TREATMENT PLANT - HWY 135	20MG58	GWR APPROVED CORRECTIVE ACTION PLAN	9/5/2022	LAC 51-XII.319.D.25 - All potable water systems shall be designed, constructed and maintained so as to prevent leakage of water due to defective materials, improper jointing, corrosion, settling, impacts, freezing, or other causes. Valves and blow-offs shall be provided so that necessary repairs can be made with a minimum interruption of service.
11/12/2021	MAIN TREATMENT PLANT - HWY 135	20MG58	GWR APPROVED CORRECTIVE ACTION PLAN	6/7/2022	LAC 51-XII.319.D.25 - All potable water systems shall be designed, constructed and maintained so as to prevent leakage of water due to defective materials, improper jointing, corrosion, settling, impacts, freezing, or other causes. Valves and blow-offs shall be provided so that necessary repairs can be made with a minimum interruption of service.
11/12/2021	MAIN TREATMENT PLANT - HWY 135	20MG58	GWR APPROVED CORRECTIVE ACTION PLAN	1/1/2023	LAC 51-XII.344.A.B - A. As used in this Section, "mandatory containment practices" means the containment practices prescribed in and required by the state Uniform Construction Code, LAC 17:1, including maintenance and testing requirements, and any additional or related requirements of this Part B. In order to protect its water supply from potential contamination, each water supplier shall make a reasonable effort to ensure that only customers who comply with mandatory containment practices connect or remain connected to its water supply.
11/12/2021	MAIN TREATMENT PLANT - HWY 135	20MG58	GWR APPROVED CORRECTIVE ACTION PLAN	9/5/2022	LAC 51-XII.344.A.B - A. As used in this Section, "mandatory containment practices" means the containment practices prescribed in and required by the state Uniform Construction Code, LAC 17:1, including maintenance and testing requirements, and any additional or related requirements of this Part B. In order to protect its water supply from potential contamination, each water supplier shall make a reasonable effort to ensure that only customers who comply with mandatory containment practices connect or remain connected to its water supply.
11/12/2021	HIGH SERVICE PUMP STATION - HWY 135	200T101	GWR APPROVED CORRECTIVE ACTION PLAN	9/5/2022	LAC 51-XII.319.D.24 - System shall ensure that no critical water system component is in poor condition or defective.

11/12/2021	WATER SYSTEM	20CC17A	GWR APPROVED CORRECTIVE ACTION PLAN	6/7/2022	prescribed in and required by the state Uniform Construction Code, LAC 17:1, including maintenance and testing requirements, and any additional or related requirements of this Part B. In order to protect its water supply from potential contamination, each water supplier shall make a reasonable effort to ensure that only customers who comply with mandatory containment practices connect or remain connected to its water supply.
11/12/2021	WATER SYSTEM	20CC17A	GWR ADDRESS T145 DEFICIENCIES	3/15/2022	LAC 51-XII.344.A.B - A. As used in this Section, "mandatory containment practices" means the containment practices prescribed in and required by the state Uniform Construction Code, LAC 17:1, including maintenance and testing requirements, and any additional or related requirements of this Part B. In order to protect its water supply from potential contamination, each water supplier shall make a reasonable effort to ensure that only customers who comply with mandatory containment practices connect or remain connected to its water supply.
11/12/2021	WATER SYSTEM	20CC17C	GWR APPROVED CORRECTIVE ACTION PLAN	1/1/2023	LAC 51-XII.344.B - In order to protect its water supply from potential contamination, each water supplier shall make a reasonable effort to ensure that only customers who comply with mandatory containment practices connect or remain connected to its water supply.
11/12/2021	WATER SYSTEM	20CC17C	GWR APPROVED CORRECTIVE ACTION PLAN	9/5/2022	LAC 51-XII.344.B - In order to protect its water supply from potential contamination, each water supplier shall make a reasonable effort to ensure that only customers who comply with mandatory containment practices connect or remain connected to its water supply.
11/12/2021	WATER SYSTEM	20CC17C	GWR APPROVED CORRECTIVE ACTION PLAN	6/7/2022	LAC 51-XII.344.B - In order to protect its water supply from potential contamination, each water supplier shall make a reasonable effort to ensure that only customers who comply with mandatory containment practices connect or remain connected to its water supply.
11/12/2021	WATER SYSTEM	20CC17C	GWR ADDRESS T145 DEFICIENCIES	3/15/2022	LAC 51-XII.344.B - In order to protect its water supply from potential contamination, each water supplier shall make a reasonable effort to ensure that only customers who comply with mandatory containment practices connect or remain connected to its water supply.
11/12/2021	WATER SYSTEM	20CC17C	GWR APPROVED CORRECTIVE ACTION PLAN	9/5/2022	LAC 51-XII.344.B - In order to protect its water supply from potential contamination, each water supplier shall make a reasonable effort to ensure that only customers who comply with mandatory containment practices connect or remain connected to its water supply.
11/12/2021	WATER SYSTEM	20CC17C	GWR APPROVED CORRECTIVE ACTION PLAN	6/7/2022	LAC 51-XII.344.B - In order to protect its water supply from potential contamination, each water supplier shall make a reasonable effort to ensure that only customers who comply with mandatory containment practices connect or remain connected to its water supply.
11/12/2021	WATER SYSTEM	20CC17C	GWR ADDRESS T145 DEFICIENCIES	3/15/2022	LAC 51-XII.344.B - In order to protect its water supply from potential contamination, each water supplier shall make a reasonable effort to ensure that only customers who comply with mandatory containment practices connect or remain connected to its water supply.
11/12/2021	WATER SYSTEM	20CC17C	GWR APPROVED CORRECTIVE ACTION PLAN	9/5/2022	LAC 51-XII.344.B - In order to protect its water supply from potential contamination, each water supplier shall make a reasonable effort to ensure that only customers who comply with mandatory containment practices connect or remain connected to its water supply.
11/12/2021	WATER SYSTEM	20CC17C	GWR APPROVED CORRECTIVE ACTION PLAN	6/7/2022	LAC 51-XII.344.B - In order to protect its water supply from potential contamination, each water supplier shall make a reasonable effort to ensure that only customers who comply with mandatory containment practices connect or remain connected to its water supply.
11/12/2021	WATER SYSTEM	20CC17C	GWR ADDRESS T145 DEFICIENCIES	3/15/2022	LAC 51-XII.344.B - In order to protect its water supply from potential contamination, each water supplier shall make a reasonable effort to ensure that only customers who comply with mandatory containment practices connect or remain connected to its water supply.
11/12/2021	WATER SYSTEM	20CC17C	GWR APPROVED CORRECTIVE ACTION PLAN	9/5/2022	LAC 51-XII.344.B - In order to protect its water supply from potential contamination, each water supplier shall make a reasonable effort to ensure that only customers who comply with mandatory containment practices connect or remain connected to its water supply.
11/12/2021	WATER SYSTEM	20CC17C	GWR APPROVED CORRECTIVE ACTION PLAN	6/7/2022	LAC 51-XII.344.B - In order to protect its water supply from potential contamination, each water supplier shall make a reasonable effort to ensure that only customers who comply with mandatory containment practices connect or remain connected to its water supply.
11/12/2021	WATER SYSTEM	20CC17C	GWR ADDRESS T145 DEFICIENCIES	3/15/2022	LAC 51-XII.344.B - In order to protect its water supply from potential contamination, each water supplier shall make a reasonable effort to ensure that only customers who comply with mandatory containment practices connect or remain connected to its water supply.
11/12/2021	WATER SYSTEM	20CC17C	GWR APPROVED CORRECTIVE ACTION PLAN	9/5/2022	LAC 51-XII.344.B - In order to protect its water supply from potential contamination, each water supplier shall make a reasonable effort to ensure that only customers who comply with mandatory containment practices connect or remain connected to its water supply.
11/12/2021	WATER SYSTEM	20CC17A	GWR APPROVED CORRECTIVE ACTION PLAN	1/1/2023	LAC 51-XII.319.D.2 and LAC 51-XII.135.A - Dedicated standby power shall be provided by any community water supply and any non-community water supply serving a hospital so that water can be treated and/or pumped to the distribution system during power outages to meet the average daily demand during the month of maximum water use. A standby power supply shall be provided through a dedicated portable or in-place auxiliary power of adequate supply and connectivity.
11/12/2021	WATER SYSTEM	20CC17A	GWR APPROVED CORRECTIVE ACTION PLAN	6/7/2022	LAC 51-XII.319.D.2 and LAC 51-XII.135.A - Dedicated standby power shall be provided by any community water supply and any non-community water supply serving a hospital so that water can be treated and/or pumped to the distribution system during power outages to meet the average daily demand during the month of maximum water use. A standby power supply shall be provided through a dedicated portable or in-place auxiliary power of adequate supply and connectivity.
11/12/2021	WATER SYSTEM	20CC17A	GWR ADDRESS T145 DEFICIENCIES	3/15/2022	LAC 51-XII.344.A.B - A. As used in this Section, "mandatory containment practices" means the containment practices prescribed in and required by the state Uniform Construction Code, LAC 17:1, including maintenance and testing requirements, and any additional or related requirements of this Part B. In order to protect its water supply from potential contamination, each water supplier shall make a reasonable effort to ensure that only customers who comply with mandatory containment practices connect or remain connected to its water supply.
11/12/2021	WATER SYSTEM	20CC17A	GWR APPROVED CORRECTIVE ACTION PLAN	9/5/2022	LAC 51-XII.344.A.B - A. As used in this Section, "mandatory containment practices" means the containment practices prescribed in and required by the state Uniform Construction Code, LAC 17:1, including maintenance and testing requirements, and any additional or related requirements of this Part B. In order to protect its water supply from potential contamination, each water supplier shall make a reasonable effort to ensure that only customers who comply with mandatory containment practices connect or remain connected to its water supply.

+++++Environmental Protection Agency Required Health Effects Language+++++

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from these contaminants. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by Cryptosporidium and other microbial contaminants are available from the Safe Drinking Water Hotline (800-426-4791).

There are no additional required health effects notices.

There are no additional required health effects violation notices.

+++++ Thank you for allowing us to continue providing your family with clean, quality water this year. In order to maintain a safe and dependable water supply we sometimes need to make improvements that will benefit all of our customers.

We at the WINNSBORO WATER SYSTEM work around the clock to provide top quality drinking water to every tap. We ask that all our customers help us protect and conserve our water sources, which are the heart of our community, our way of life, and our children's future. Additional information on the water system can be found at [www.lh.la.gov/watergrade](http://www.lh.la.gov/watergrade). Please call our office if you have questions.

This notice will not be mailed directly to the consumer. Should you desire a paper copy of this report, please contact the City of Winnsboro Water System at 318-435-9087.

6/14