

SEC represented on USA basketball squad

Led by now three-time Olympian Kevin Durant (Brooklyn Nets), USA Basketball unveiled today its official 12-member U.S. Olympic Men’s Basketball Team.

Selected for the U.S. Olympic Team 2020, which is seeking a fourth consecutive Olympic title, were: Bam Adebayo (Miami Heat), Bradley Beal (Washington Wizards), Devin Booker (Phoenix Suns), Durant, Jerami Grant (Detroit Pistons), Draymond Green (Golden State Warriors), Jrue Holiday (Milwaukee Bucks), Zach LaVine (Chicago Bulls), Damian Lillard (Portland Trail Blazers), Kevin Love (Cleveland Cavaliers), Khris Middleton (Milwaukee Bucks) and Jayson

Tatum (Boston Celtics). The USA coaching staff is led by head coach Gregg Popovich (San Antonio Spurs) with assistant coaches Steve Kerr (Golden State Warriors), Lloyd Pierce and Jay Wright (Villanova University) and Jerry Colangelo serving as the USA Men’s National Team managing director.

“I’m happy for the selected players and looking forward to having the opportunity to work with this wonderful group when practice gets underway on July 6 in Las Vegas,” said Popovich. “I’m excited to represent the United States in our quest to earn a gold medal in Tokyo.” The U.S. Olympic Men’s Basketball Team was approved by the

USA Basketball Board of Directors and is pending final approval by the United States Olympic & Paralympic Committee.

“We are excited about the 12 players who have been selected to represent the United States in the Tokyo Olympics,” said Colangelo, who has served as managing director of the USA Men’s National Team since 2005. “This was an unusually challenging selection process for many reasons, including the year postponement of the Olympics and the issues related to the timing of the NBA.

“Our roster features players who are experienced in the international game, and this team has outstanding athleti-

cism, versatility and balance. We also believe we have excellent leadership which is a necessity in order to develop the needed chemistry. We still have a lot of challenges in front of us, but I believe these players will become a team that all Americans will be proud of.”

The U.S. roster features the return of Olympic gold medalists Durant, Green and Love. Durant and Green were members of the 2016 U.S. Olympic gold medalist squad and Durant and Love were 2012 Olympic gold medalists. Durant and Love were also part of the 2010 USA team that went 9-0 and captured the FIBA World Cup title, and Middleton and Tatum were

members of the 2019 USA World Cup Team.

“USA Basketball selects players to represent our country in international competition with the skills, character, experience, and desire to win,” said retired Gen. Martin Dempsey, chairman of the USA Basketball Board of Directors.. “We build teams that are versatile and resilient in the short, intense competitions we face. We’re fortunate that this group of elite athletes has volunteered to represent us in Tokyo this summer.” With his selection to the U.S. Olympic Team, Durant becomes just the fourth United States male basketball player selected to three or more Olympic teams.”

Public Notices

STATE OF LOUISIANA
PARISH OF CONCORDIA
7TH JUDICIAL DISTRICT
VIDALIA, LOUISIANA
NOTICE OF SHERIFF'S SALE AND APPRAISAL NOTICE
CONCORDIA BANK & TRUST COMPANY
VS SUIT NUMBER: 52985
ROY T JAMES & PAIGE R JAMES
WRIT OF: WRIT OF SEIZURE AND SALE

By virtue of above WRIT issued from the Honorable 7th Judicial District Court in and for the Parish of Concordia, State of Louisiana, in the above-entitled number and cause, and to me directed, I have seized and taken into my possession and will offer for sale the following described property to-wit:

“SEE EXHIBIT A”

Exhibit A

One (1) McCormick ZMC 95 Tractor bearing Serial Number AS4JJE2023630 with M6446H Loader;

One (1) 2012 Ford F350 Ford pickup bearing VIN 1FDRF3E68CEC33342;

TRACT I:

A piece or parcel of land containing 1.76 acres, more or less, situated in Section 24, Township 8 North, Range 7 East, Concordia Parish, Louisiana, being more particularly described as follows:

Beginning at the Southwestern point of the Chad Richardson tract containing 5.16 acres, more or less; run North 150 feet to a point; thence run Northwesterly at 287 degrees, 16 minutes, 59 seconds to the bank of Horseshoe Lake; thence run South along the meanderings of Horseshoe Lake, 120 feet. more or less, to a point; thence run Southeasterly to the point of beginning.

TRACT II:

A piece or parcel of land containing 5.16 acres, more or less situated in Section 24, Township 6 North, Range 7 east, Concordia Parish, Louisiana, being more particularly described as follows:

Beginning at the common intersection of Sections 18 & 19, Township 6 North, Range 7 East, run 376.93 feet to the point of beginning; thence run East 430 feet to appoint; thence run South 300 feet to appoint; thence run West 150 feet to a point; South 300 feet to a point; thence run West 150 feet to a point; thence run South to the bank of Horseshoe Lake; thence run West along the meandering of Horseshoe Lake 180 feet to a point; thence run North to the Eastern boundary of Highway 129; thence run East 20 feet to a point; thence run North 90 feet to a point; thence run West 120 feet to a point; thence run North 510 feet to the point of beginning.

Any and all cattle.

DATE OF SALE: **July 7, 2021**

PLACE OF SALE: Second Floor, Concordia Parish Courthouse
Vidalia, Louisiana

TIME OF SALE: 10:00 AM

TERMS OF SALE: Cash WITH benefit of appraisalment.

DAVID K. HEDRICK, JR., SHERIFF

BY: s/s Laci Darcy
(Deputy Sheriff)

Advertise May 26, 2021
Advertise June 30, 2021

IF APPLICABLE, YOU MAY NAME AN APPRAISER TO VALUE THE PROPERTY IN THE ABOVE CAPTIONED SUIT AND TO NOTIFY THE SHERIFF OF YOUR APPOINTMENT NO LATER THAN TWO DAYS BEFORE THE SALE. SHOULD YOU FATL TO APPOINT AN APPRAISER, THE SHERIFF SHALL APPOINT AN APPRAISER FOR YOU.

PUBLIC NOTICE

NOTICE IS HEREBY GIVEN that a public meeting/hearing of Concordia Parish Sheriff’s Office, State of Louisiana, has been ordered and called and will be held at its regular meeting place, the Concordia Parish Sheriff’s Office, 4001 Carter Street, Room 7, Vidalia, Louisiana, on July 5, 2021 at 10:00 A.M. for the following purposes, to wit:

- To conduct a meeting/hearing to amend the budget for the operations of the Concordia Parish Sheriff’s Office for the fiscal year 2020-2021.
- To conduct a meeting/hearing to adopt the budget for the operations of the Concordia Parish Sheriff’s Office for the fiscal year 2021 – 2022.

Detailed financial records are available for public inspection at the Concordia Parish Sheriff’s Office located at 4001 Carter Street, Room 7, Vidalia, Louisiana. Interested persons may examine the budget document between the hours of 8:00 a.m. and 4:30 p.m., excluding weekends and holidays.

6/30

INVITATION TO BIDDERS

**CPA PARKING LOT ADDITION
CONCORDIA PARISH SCHOOL BOARD**

Sealed bids and proposals CPA PARKING LOT ADDITION, will be received by the Concordia Parish School Board at their Central Office, 4358 HWY 84 West, Vidalia, LA, 71373 **until 6:00 P.M. local time on the 22nd day of July, 2021.** At that time, they will be opened and read aloud

CONTRACT TIME: 45 CALENDAR DAYS

The work involves the installation of:

Mobilization	Lump Sum	Lump Sum
Clearing & Grubbing	Lump Sum	Lump Sum
Removal of Asphalt (All Depths)	438.0	Square Yards
Removal of Gravel	1,080.0	Square Yards
Removal of Pipe (All Sizes)	34.0	Linear Feet
Unclassified Excavation (PM)	172.0	Cubic Yards
Excess Excavation(PM)	474.0	Cubic Yards
Solid Sodding	1,820.0	Square Yards
5" Thick Concrete Paving	1,458.0	Square Yards
7" Thick Concrete Paving	1,645.0	Cubic Yards
6" x 6" Concrete Header Curb	325.0	Linear Feet
Crushed Stone, Size 610	460.0	Tons

28.0

1,061.0

150.0

2.0

2.0

4.4

8.0

Square Yards

Linear Feet

Linear Feet

Each

Each

Tons

Square Yards

Plans and specifications may be examined without charge www.jksllc.com or at the office of the Consulting Civil Engineers: Jordan, Kaiser & Sessions, LLC, 279 Lower Woodville Road, Natchez, Mississippi 39120, Telephone: 601-442-3628. Sets of plans, specifications, and contract documents which are required in order to submit a bid, may be obtained from the Consulting Civil Engineers upon receipt of \$50.00, non-refundable.

Proposal form will be furnished with the Specifications. In order to be considered, proposal shall be submitted on the proposal form and shall be properly marked and addressed as directed in the Specifications.

Each proposal shall be accompanied by a bid bond or certified check in the amount of Five Percent (5%) of the bidder’s total proposal.

The successful bidder will be required to furnish a performance bond in the amount of One Hundred Percent (100%) of the bidder’s contract price.

Only bids of Contractors licensed in the State of Louisiana will be considered.

The award, if made, will be made to the lowest and best bidder on the basis of published quantities, who is considered qualified by the Concordia Parish School Board. The Owner reserves the right to waive informalities in or to reject any or all bids.

Tom O’Neal

Concordia Parish School Board

6/23,30 7/7

INVITATION FOR ELECTRONIC BID PROPOSALS
06/23/2021

The Concordia Waterworks will receive Electronic Bid Proposals for the construction of the project described as follows:

**CONCORDIA WATERWORKS
ELEVATED TANK IMPROVEMENTS**

Notice is hereby given that electronic bid proposals will be received for the Concordia Waterworks (Owner), by medwards@bha-engineers.com and kcappedon@bha-engineers.com, or mailed to the office of the Engineer at Bryant Hammett & Associates, LLC, 6885 Hwy. 84, Ferriday, Louisiana 71334, **until 2:00 p.m. on Thursday, July 22, 2021** for the project described below:

The Project consists of elevated tank overflow improvements for two (2) elevated tanks.

All bids must be submitted on the proper form. The contractor must display his contractor’s license number prominently on the outside of the envelope. Any bids received after the specified time and date will not be considered. Due to the Restrictions for COVID-19, bids will not be publicly opened. **Bids will be read aloud via conference call at 2:30 p.m. by calling (712)770-5505 ID: 630-738-215.**

To address the requirements for electronic bids, the bids must be submitted as follows:

A copy of the bid bond must be attached to bid document submitted electronically. The original bid package and bid bond documents must be received no later than 48 hours after the bid opening date and time (Mailed to the Engineer at 6885 Hwy. 84, Ferriday, LA 71334).

The Concordia Waterworks will not be responsible if the bidder cannot complete and submit a bid due to failure or incomplete delivery of the files submitted via the internet.

Prospective Bidders must be registered with the Engineer and obtain electronic Bid Documents from the Engineer in order to submit a bid. The Bidding Documents may be requested via email at bhallc@bha-engineers.com. Contractors desiring to bid shall provide evidence that they hold a State License of proper classification and in full force and effect. For contractor information, this project is classified as Highway Street & Bridge Construction. Hard copies of the Construction Documents are available upon payment of \$200.00 per set made payable to BH&A. Refunds will be given on the first set of documents furnished to bona fide prime bidders upon return of the clean, unmarked documents no later than ten days after receipt of bids.

In accordance with RS 38:2212 G(2) plans and specifications shall be available to bidders until twenty-four hours before bid opening date.

The Corporate Resolution must be signed and sealed. The Owner cannot waive any informalities on the bid form. The Owner reserves the right to reject any and all bids for just cause; such actions will be in accordance with title 38 of the Louisiana Revised Statutes.

Each bidder must deposit with his/her bid, security in the amount, form, and subject to the conditions provided in the Instructions to Bidders. Bid bonds shall be written by a surety or insurance company currently on the U.S. Department of the Treasury Financial Management Service list of approved bonding companies which is published annually in the Federal Register, or by a Louisiana domiciled insurance company with at least an A-rating in the latest printing of the A.M. Best’s Key Rating Guide

to write individual bonds up to ten percent of policyholders’ surplus as shown in the A.M. Best’s Key rating Guide or by an insurance company in good standing licensed to write bid bonds which is either domiciled in Louisiana or owned by Louisiana Residents.

The contractor may withdraw a bid by affidavit within 48 hours of the bid opening in accordance with LA R.S. 38§2214.C; for patently obvious, unintentional and substantial mechanical, clerical or mathematical errors. The Bids will remain subject to acceptance for Ninety (90) days after the Bid opening, or for such longer period of time that Bidder may agree to in writing upon request of Owner.

The successful bidder will be required to execute the Owner’s Standard Form of Agreement/Contract for construction together with the Performance and Payment Bonds within ten (10) working days after issuance of the Notice of Award. Sureties used for obtaining bonds must appear as acceptable on the U.S. Department of Treasury Circular 570.

The Owner hereby notifies all offerors that in regard to any contract entered into pursuant to this advertisement, that Minority Business Enterprises will be afforded equal opportunity to submit offers in response to this invitation and will not be discriminated against on the grounds of race, color, sex, national origin or disability in consideration for an award.

Concordia Waterworks
Jean Fairbanks, President

The Concordia Sentinel Publication Dates:

6/23/2021
6/30/2021
7/07/2021

North Lake St. John Water System
PO Box 624
Harrisonburg LA 71340
Office: 3 18-744-0308

June 23, 2021

Dear Valued Member of North Lake St. John Water System,

IMPORTANT INFORMATION ABOUT YOUR DRINKING WATER

The North Lake St. John Water System is currently in violation of the maximum contaminant level (MCL) for total trihalomethanes as set forth by the State [Part XII of the Louisiana State Sanitary Code (LAC 51 and the Federal Primary Drinking Water Regulations (40 CFR Part 141).

The United States Environmental Protection Agency (EPA) and the Louisiana Department of Health (LDH) set drinking water standards and requires the disinfection of drinking water. Where disinfection is used in the treatment of drinking water, disinfectants combine with naturally occurring organic and inorganic matter present in water to form chemicals called disinfection byproducts (DBPs). EPA and LDH get standards for controlling the levels of disinfectants and DBPs in drinking water, including trihalomethanes (THMs) and haloacetic acid (HAA5). Some people who drink water containing THMs excess of the MCL over many years may experience problems with their liver, kidneys or central nervous system and may have an increased risk of getting cancer.

In December 1998, EPA enforceable drinking water standards for TTHMs at 80 parts per billion (ppb) and for HAA5 at 60 parts per billion (ppb) to reduce the risk of or other adverse health Effects. Compliance with the TTHMs and HAA5 standard for public water systems serving less than 10+000 individuals initially became effective and enforceable on January 1, 2004. Compliance with the TTHMs standard is determined by calculating a locational running annual average (LRAA) of quarterly TTHMs sample results. Compliance calculations performed for the second quarter of 2021 show that the systems current TTHMs LRAAs are 90 ppb at DBPOI- 899 HWY 570 and 87 ppb at DBP02- 5574 HWY 568. The system’s HAAS LRAAs 78 ppb at DBPOI - 899 HWY 570 and 71 ppb at DBP02 - 5574 HWY 568; Thus, system is in violation of TTHMs standard.

Please share this information with all the other who drink this water, especially those who may have received this notice directly (for example, people in apartments, nursing homes, schools, and businesses), You can do this by posting this notice in a public place or distributing copies by hand or mail.

This is not an emergency, if it had you would have been notified immediately. EPA and LDH do not consider this violation to have any serious adverse health effects on health as a result of short-term exposure; however, continued long-term exposure to TTHMs and HAAS levels above the standard (e.g., 20 years of exposure) has the potential to have serious adverse effects on human health.

6/30

**PROCEEDINGS OF THE SCHOOL BOARD OF THE PARISH OF
CONCORDIA, STATE OF LOUISIANA, TAKEN AT A REGULAR MEETING
HELD ON THURSDAY, JUNE 10, 2021**

The School Board of the Parish of Concordia, State of Louisiana, met in Regular Session at the Concordia Parish School Board office in Vidalia, Louisiana, and via ZOOM Teleconference on Thursday, June 10, 2021, at 6:00 o’clock p.m. The meeting was called to order by Mr. Fred Butcher who after prayer and the Pledge, declared that the Board was ready for the transaction of business.

Members present were Mr. Warren Enterkin, Mrs. Dorothy Parker, Dr. Raymond Riley, Mr. Derrick Carson, Mr. John Bostic, Ms. Angela Hayes, Mrs. Lisette Forman, Mr. Ricky Raven, and Mr. Fred Butcher.

It was moved by Mrs. Forman, seconded by Mr. Raven and carried to add “Advertise for Bids for Upgrading the Current Parking Lot and Building a New Parking Lot at CPA” to the Agenda.

Roll Call Vote:	Mr. Warren Enterkin - Yea Mrs. Dorothy Parker - Yea Dr. Raymond Riley - Yea Mr. Derrick Carson - Yea Mr. John Bostic - Yea Ms. Angela Hayes - Yea Mrs. Lisette Forman - Yea Mr. Ricky Raven - Yea Mr. Fred Butcher - Yea
Motion passed with 9 Yeas and 0 Nays.	

It was moved by Mr. Carson, seconded by Mrs. Parker and carried to add “Items Ms. Watson would like to the Board to Consider” to the Agenda.

Roll Call Vote:	Mr. Warren Enterkin - Yea Mrs. Dorothy Parker - Yea Dr. Raymond Riley - Yea Mr. Derrick Carson - Yea Mr. John Bostic - Yea Ms. Angela Hayes - Yea Mrs. Lisette Forman - Yea Mr. Ricky Raven - Yea Mr. Fred Butcher - Yea
Motion passed with 9 Yeas and 0 Nays.	

Committee Reports were presented. (see attached) Mr. Butcher requested to Mr. O’Neal that updates on the MHS Gym Project be submitted to the Buildings and Grounds Committee also.

Mr. Butcher requested that, when the process of putting together a budget starts, that we have 1 to 2 budget meetings as a Board in order for them to have an opportunity to input and become familiar with items in the Budget. Mr. O’Neal and the new Superintendent will work together to set the dates for the “21-22 Budget Work Session”.

Dr. Riley, Chairman of the Buildings and Grounds Committee, stated that the Committee will start meeting face-to-face again.

It was moved by Dr. Riley, seconded by Mr. Bostic and carried to approve the minutes of the Special Meetings held on May 5, 6, and 17, 2021, and the Regular Meeting held on May 11, 2021.

It was moved by Dr. Riley, seconded by Mr. Bostic and carried to approve invoices in the amount of \$5,423,449 for the month of May.

After a brief discussion on the FY 2021-2022 Consolidated Budget As Amended, Mr. O’Neal stated that the overall projected budget variances as being .038% on revenues and .013% on disbursements. It was moved by Dr. Riley, seconded by Mr. Raven and carried to approve FY2020-21 Consolidated Budget as Amended.

It was moved by Dr. Riley, seconded by Mr. Raven and carried to approve the Resolution calling for special election for renewal of current property taxes in November. (Resolution attached)7

(CONTINUED TO PAGE 8B)

Public Notices

(CONTINUED FROM PAGE 7B)

Roll Call Vote: Mr. Warren Enterkin - Yea
Mrs. Dorothy Parker - Yea
Dr. Raymond Riley - Yea
Mr. Derrick Carson - Yea
Mr. John Bostic - Yea
Ms. Angela Hayes - Yea
Mrs. Lisette Forman - Yea
Mr. Ricky Raven - Yea
Mr. Fred Butcher - Yea

Motion passed with 9 Yea and 0 Nays.

The following bids were received on Band Uniforms for Vidalia High School and Ferriday High School:

	VHS	FHS
Banding Together LLC Warren, OH	\$34,840.28	\$52,004.00
Red River Music, Inc. Alexandria, LA	\$33,465.84	\$51,861.00
Stanbury Uniforms, LLC Brookfield, MO	\$30,808.08	\$49,920.00

It was moved by Dr. Riley, seconded by Mr. Bostic and carried to allow Mr. O'Neal to take all the bids under advisement and award to the lowest bidder that meets specifications. Dr. Riley rescinded his motion. It was moved by Mr. Carson, seconded by Dr. Riley and carried to allow Mr. O'Neal to take all the bids under advisement and award to the lowest bidder that meets specifications and that CPSB will fund all of the band uniforms.

Roll Call Vote: Mr. Warren Enterkin - Nay
Mrs. Dorothy Parker - Yea
Dr. Raymond Riley - Yea
Mr. Derrick Carson - Yea
Mr. John Bostic - Yea
Ms. Angela Hayes - Yea
Mrs. Lisette Forman - Yea
Mr. Ricky Raven - Yea
Mr. Fred Butcher - Yea

Motion passed with 8 Yea and 1 Nay.

It was moved by Dr. Riley, seconded by Mr. Raven and carried to approve the Concordia Sentinel as the Board's official journal.

It was moved by Mrs. Forman, seconded by Mrs. Parker and carried to keep the mask mandate through the end of June 2021 and then bring this item back before the Board in July.

It was moved by Dr. Riley, seconded by Mrs. Forman and carried for the incoming Superintendent and Business Director to come up with a Time Trust System for all employees for the beginning of the 2021-2022 school year.

It was moved by Dr. Riley, seconded by Mr. Bostic and carried for the incoming Superintendent and her staff to present an online application process back before the Board.

It was moved by Dr. Riley, seconded by Mr. Bostic and carried to accept the new Superintendent's employment contract as written with the changes that instead of a salary of \$125,000 that the salary will be \$120,000 per year and instead of the contract ending December 31, 2024, the contract will end June 30, 2024. The Superintendent Personnel Evaluation Program that is attached as an Addendum to the Superintendent's Contract will be a continuing process until after the Board meets with the new Superintendent and the Board can agree on an evaluation instrument based on Local and State requirements.

Roll Call Vote: Mr. Warren Enterkin - Yea
Mrs. Dorothy Parker - Yea
Dr. Raymond Riley - Yea
Mr. Derrick Carson - Yea
Mr. John Bostic - Yea
Ms. Angela Hayes - Yea
Mrs. Lisette Forman - Yea
Mr. Ricky Raven - Nay
Mr. Fred Butcher - Yea

Motion passed with 8 Yea and 1 Nay.

It was moved by Mrs. Parker, seconded by Mrs. Forman and carried that the new Superintendent will assume all the rolls and responsibilities as Superintendent beginning on June 11, 2021, and that her salary will be prorated based on the number of working days left in this fiscal year based on the new salary. Mr. Shirley will be in the advisory capacity until his contract officially ends on June 30, 2021.

Roll Call Vote: Mr. Warren Enterkin - Yea
Mrs. Dorothy Parker - Yea
Dr. Raymond Riley - Yea
Mr. Derrick Carson - Yea
Mr. John Bostic - Yea
Ms. Angela Hayes - Yea
Mrs. Lisette Forman - Yea
Mr. Ricky Raven - Yea
Mr. Fred Butcher - Yea

Motion passed with 9 Yea and 0 Nays.

It was moved by Mrs. Forman, seconded by Dr. Riley and carried to allow the Business Director to start advertising for bids tomorrow, June 11, 2021, for the resurfacing of the CPA Parking Lot. Said bids to be opened at a special meeting of the Board in July.

It was moved by Mr. Carson, seconded by Mrs. Parker and carried to make the Director of the Concordia Parish Academy of Math, Science, and Technology a 12-month employee position based on our normal salary scale. Mr. Raven voted No.

It was moved by Mr. Carson, seconded by Mrs. Forman and carried to approve an Assistant Director at the Concordia Parish Academy of Math, Science, and Technology based on our normal salary scale. Mr. Raven voted No.

It was moved by Mr. Carson, seconded by Mrs. Parker and carried to make the Principal of the Concordia Education Center a 12-month employee position.

It was moved by Mr. Carson, seconded by Mr. Bostic and carried to enter a \$5,000.00 sign-on bonus for newly hired certified teachers coming to the District pending the approval of the Louisiana Department of Education and the Board Attorney review. Mr. Raven voted No.

It was moved by Mrs. Forman, seconded by Mr. Bostic and carried to approve the Superintendent's recommendation to terminate the employment of Andre Keys on the advice of the Board Attorney. Mr. Carson, as the public defender in the district recuses himself from voting on this matter due to a possible legal conflict of interest.

There was no Executive Session.

Mrs. Rhonda Moore presented the following Personnel Announcements:

**Concordia Parish School Board
Personnel Announcements
June 10, 2021**

Leaves:

Karen Linton, Teacher, Ferriday High School, return from family medical leave / extended medical leave, effective May 4, 2021.

Najee Herrington, Teacher, CPAMST, return from maternity leave/ extended medical leave, effective May 12, 2021.

Appointments:

Vickie Collard, Teacher, Ferriday Upper Elementary School, effective August 10, 2021.
Caissidy Riley, Teacher, Vidalia Lower Elementary School, effective August 10, 2021.

Brenda Minor, School Secretary, Concordia Education Center, effective May 20, 2021.

Toyua Watson, School Superintendent, Central Administration, effective June 11, 2021.

Transfers:

George Barnes, Jr., Teacher / Head Boys Basketball Coach, Ferriday High School, to Teacher, Ferriday Junior High School, effective August 10, 2021.

Resignations:

Angeline Cavin, Superintendent Secretary, Central Administration, effective June 30, 2021.

Darius Jefferson, 12 Month Janitor, Vidalia Lower Elementary School, effective June 10, 2021.

Brandon Rowe, Teacher, CPAMST, effective August 3, 2021.

Retirements:

Mary Bell, School Nurse, Special Populations, effective August 3, 2021.

Terminations:

Andre Keys, Paraprofessional, Ferriday High School, effective June 10, 2021.

The following Announcements were made by Mr. Shirley:

- Summer Bridge Program is in full swing; students seem to enjoy the different activities being offered this summer.
- We have had some birthdays since we last met; Dr. Riley April 18, Derrick Carson April 26, and Ricky Raven June 6. I want to wish Ms. Watson the best of luck leading our parish; and, I will do every thing in my power to make sure there is a smooth transition in the days ahead.

It was moved by Dr. Riley, seconded by Mrs. Forman and carried to adjourn at 8:15 p.m.

Concordia Parish School Board Committee Reports

**Educational/Personnel Policy Committee
June 7, 2021**

I. ACTION ON ITEMS INVOLVING SPENDING OF MONEY

- 1.0 Discussed FHS & VHS Band Uniforms

II. ITEMS DISCUSSED

- 2.0 Personnel-resignations/terminations/leaves/appointments, etc.

- 2.1 Mask mandate

- 2.2 Online Human Resource Program

- 2.3 Athletic Director Job Description

- 2.4 Summer Bridge Program

Concordia Parish School Board Committee Reports

**Finance Committee
June 7, 2021**

I. ACTION ON ITEMS INVOLVING SPENDING OF MONEY

- 1.0 Expenditures-Mr. Marsalis

- 1.1 Band Uniforms

II. ITEMS DISCUSSED

- 2.0 Consolidated Budget Revision

- 2.1 Resolution for November 13 tax renewal

- 2.2 Concordia Sentinel-official journal

- 2.3 MHS update-must dry off

Concordia Parish School Board Committee Reports

**Buildings and Grounds Committee
June 7, 2021**

I. ACTION ON ITEMS INVOLVING SPENDING OF MONEY

- 1.0 Cafeteria vents quotes

- 1.1 Road repairs-Dee Faircloth St., Bateman Dr., Kindergarten Rd.

- 1.2 CPA parking lot

- 1.3 Reimbursement to Durham

- 1.4 Bus driver reimbursement of insurance

II. ITEMS DISCUSSED

- 2.0 Moving Buildings and Grounds Committee meeting back face-to-face

6/30

The Water We Drink

**CITY OF VIDALIA WATER SYSTEM
Public Water Supply ID: LA1029011**

We are pleased to present to you the Annual Water Quality Report for the year 2020. This report is designed to inform you about the quality of your water and services we deliver to you every day. Our constant goal is to provide you with a safe and dependable supply of drinking water. We want you to understand the efforts we make to continually improve the water treatment process and protect our water resources. We are committed to ensuring the quality of your water. Our water source(s) are listed below:

Source Name	Source Water Type
WELL #1 UPSTREAM CO 047	Ground Water
WELL #2 MIDDLE WELL CO 148	Ground Water
WELL #3 DOWNSTREAM 15-0086	Ground Water

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of land or through the ground, it dissolves naturally-occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity. Contaminants that may be present in source water include:

Microbial Contaminants - such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.

Inorganic Contaminants - such as salts and metals, which can be naturally-occurring or result from urban storm water runoff, industrial, or domestic wastewater discharges, oil and gas production, mining, or farming.

Pesticides and Herbicides - which may come from a variety of sources such as agriculture, urban storm water runoff, and residential uses.

Organic Chemical Contaminants - including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations, urban storm water runoff, and septic systems.

Radioactive Contaminants - which can be naturally-occurring or be the result of oil and gas production and mining activities.

A Source Water Assessment Plan (SWAP) is now available from our office. This plan is an assessment of a delineated area around our listed sources through which contaminants, if present, could migrate and reach our source water. It also includes an inventory of potential sources of contamination within the delineated area, and a determination of the water supply's susceptibility to contamination by the identified potential sources. According to the Source Water Assessment Plan, our water system had a susceptibility rating of 'HIGH'. If you would like to review the Source Water Assessment Plan, please feel free to contact our office.

In order to ensure that tap water is safe to drink, EPA prescribes regulations which limit the amount of certain contaminants in water provided by public water systems. Food and Drug Administration regulations establish limits for contaminants in bottled water which must provide the same protection for public health. We want our valued customers to be informed about their water utility. If you have any questions about this report, want to attend any scheduled meetings, or simply want to learn more about your drinking water, please contact RICKY ROTH at 318-336-6257.

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. CITY OF VI-DALIA WATER SYSTEM is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at <http://www.epa.gov/safewater/lead>.

The Louisiana Department of Health routinely monitors for constituents in your drinking water according to Federal and State laws. The tables that follow show the results of our monitoring during the period of January 1st to December 31st, 2020. Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk.

In the tables below, you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms, we've provided the following definitions:

Parts per million (ppm) or Milligrams per liter (mg/L) - one part per million corresponds to one minute in two years or a single penny in \$10,000.

Parts per billion (ppb) or Micrograms per liter (ug/L) - one part per billion corresponds to one minute in 2,000 years, or a single penny in \$10,000,000.

Picocuries per liter (pCi/L) - picocuries per liter is a measure of the radioactivity in water.

Treatment Technique (TT) - an enforceable procedure or level of technological performance which public water systems must follow to ensure control of a contaminant.

Action level (AL) - the concentration of a contaminant that, if exceeded, triggers treatment or other requirements that a water system must follow.

Maximum contaminant level (MCL) - the "Maximum Allowed" MCL is the highest level of a contaminant that is allowed in drinking water. MCL's are set as close to the MCLG's as feasible using the best available treatment technology.

Maximum contaminant level goal (MCLG) - the "Goal" is the level of a contaminant in drinking water below which there is no known or expected risk to human health. MCLG's allow for a margin of safety.

Maximum residual disinfectant level (MRDL) - The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

Maximum residual disinfectant level goal (MRDLG) - The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

Level 1 assessment - A study of the water system to identify potential problems and determine (if possible) why total coliform bacteria have been found in our water system.

Level 2 Assessment - A very detailed study of the water system to identify potential problems and determine (if possible) why an E. coli MCL violation has occurred and/or why total coliform bacteria have been found in our water system on multiple occasions.

During the period covered by this report we had the below noted violations.

Compliance Period	Analyte	Type
No Violations Occurred in the Calendar Year of 2020		

Our water system tested a minimum of 7 samples per month in accordance with the Total Coliform Rule for microbiological contaminants. With the microbiological samples collected, the water system collects disinfectant residuals to ensure control of microbial growth.

Disinfectant	Date	Highest RAA	Unit	Range	MRDL	MRDLG	Typical Source
CHLORINE	2020	1.7	ppm	0.38 -2.02	4	4	Water additive used to control microbes

In the tables below, we have shown the regulated contaminants that were detected. Chemical Sampling of our drinking water may not be required on an annual basis; therefore, information provided in this table refers back to the latest year of chemical sampling results. To determine compliance with the primary drinking water standards, the treated water is monitored when a contaminant is elevated in the source water.

Source Water Regulated Contaminants	Collection Date	Highest Value	Range	Unit	MCL	MCLG	Typical Source
BARIIUM	10/08/2019	0.32	0.24 - 0.32	ppm	2	2	Discharge of drilling wastes; Discharge from metal refineries; Erosion of natural deposits
FLUORIDE	10/08/2019	0.2	0.2	ppm	4	4	Erosion of natural deposits; Water additive which promotes strong teeth; Discharge from fertilizer and aluminum factories

Treated Water Regulated Contaminants	Collection Date	Highest Value	Range	Unit	MCL	MCLG	Typical Source
No Detected Results were Found in the Calendar Year of 2020							

Source Water Radiological Contaminants	Collection Date	Highest Value	Range	Unit	MCL	MCLG	Typical Source
GROSS ALPHA PARTICLE ACTIVITY	10/08/2019	4.82	0 - 4.82	pCi/l	15	0	Erosion of natural deposits
GROSS BETA PARTICLE ACTIVITY	10/08/2019	5.84	4.67 - 5.84	pCi/l	50	0	Decay of natural and man-made deposits. Note: The gross beta particle activity MCL is 4 millirem/year annual dose equivalent to the total body or any internal organ. 50 pCi/l is used as a screening level.

Treated Water Radiological Contaminants	Collection Date	Highest Value	Range	Unit	MCL	MCLG	Typical Source
COMBINED RADIIUM (-226 & -228)	08/04/2020	2.31	4.12 - 2.31	pCi/l	5	0	Erosion of natural deposits

Lead and Copper	Date	90 th Percentile	Range	Unit	AL	Sites Over AL	Typical Source
COPPER, FREE	2018 - 2020	0.7	0 - 1.1	ppm	1.3	0	Corrosion of household plumbing systems; Erosion of natural deposits; Leaching from wood preservatives

Disinfection Byproducts	Sample Point	Per-iod	Highest LRAG	Range	Unit	MCL	MCLG	Typical Source
TOTAL HALOACETIC ACIDS (HAAS)	ALABAMA STREET	2020	30	20.2 - 28.6	ppb	60	0	By-product of drinking water disinfection
TOTAL HALOACETIC ACIDS (HAAS)	MURRAY STREET	2020	23	18.7 - 23.7	ppb	60	0	By-product of drinking water disinfection
THM	ALABAMA STREET	2020	63	39.5 - 62.7	ppb	80	0	By-product of drinking water chlorination
THM	MURRAY STREET	2020	45	40.3 - 54.3	ppb	80	0	By-product of drinking water chlorination
Source Secondary Contaminants	Collection Date	Highest Value	Range	Unit	SMCL			
CHLORIDE	10/08/2019	20	19 - 20	MG/L	250			
IRON	10/08/2019	1.67	1.39 - 1.67	MG/L	0.3			
MANGANESE	10/08/2019	.58	0.47 - 0.58	MG/L	0.05			
PH	10/08/2019	6.09	6.07 - 6.09	PH	8.5			
SULFATE	10/08/2019	31	29 - 31	MG/L	250			

Treated Secondary Contaminants	Collection Date	Highest Value	Range	Unit	SMCL
No Detected Results were found					

in the Calendar Year of 2020			
------------------------------	--	--	--

+++++Environmental Protection Agency Required Health Effects Language+++++
Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by Cryptosporidium and other microbial contaminants are available from the Safe Drinking Water Hotline (800-426-4791).

Additional Required Health Effects Language:

Some people who drink water containing trichloroethanes in excess of the MCL over many years may experience problems with their liver, kidneys, or central nervous systems, and may have an increased risk of getting cancer.

There are no additional required health effects violation notices.

+++++
Thank you for allowing us to continue providing your family with clean, quality water this year. In order to maintain a safe and dependable water supply we sometimes need to make improvements that will benefit all of our customers.

We at the CITY OF VIDALIA WATER SYSTEM work around the clock to provide top quality drinking water to every tap. We ask that all our customers help us protect and conserve our water sources, which are the heart of our community, our way of life, and our children's future. Please call our office if you have questions.

Public Notice Deadline

Friday Noon
Notices accepted by mail or email
P.O. Box 1485
Ferriday, La 71334
legals@concordiasentinel.com
318-757-3646

Please note - confirmations for all public notices are always made by phone or email. Please include contact name and number on all correspondence and contact our office immediately if such confirmation is not received.