

John F. King, Commissioner Safety Fire Division-Safety Engineering 2 Martin Luther King, Jr. Drive West Tower, Suite 920 Atlanta, GA 30334

Location:

LAKE WINNEPESAUKEH 1730 LAKEVIEW DR ROSSVILLE GA 30741 WALKER COUNTY PHONE: (706) 866-5681 Inspection Date: 05/06/2021

Permit Number: AP-0093

Permit Expiration Date: 12/31/2021

State Identification No.: FAM-100654

Inspection Status: Pass

Inspection Type: Annual Inspection

GA Permit Sticker No.:

Inspector: OWEN BULLARD

Equipment Information

Ride:CAROUSELSerial No.:AP 100654Manufacturer:PTCManufacture Date:1916Seating Capacity:74Child Seating Capacity:Ride Speed:5 rpm

Post-Inspection Remarks:

<u>Conditions / Violations</u> <u>Viol. Date</u> <u>Correct By</u> <u>Resolved</u> <u>Comment</u>



John F. King, Commissioner Safety Fire Division-Safety Engineering 2 Martin Luther King, Jr. Drive West Tower, Suite 920 Atlanta, GA 30334

Location:

LAKE WINNEPESAUKEH 1730 LAKEVIEW DR ROSSVILLE GA 30741 WALKER COUNTY PHONE: (706) 866-5681 Inspection Date: 05/06/2021

Permit Number: AP-0093

Permit Expiration Date: 12/31/2021

State Identification No.: FAM-101651

Inspection Status: Pass

Inspection Type: Annual Inspection

GA Permit Sticker No.:

Inspector: OWEN BULLARD

Equipment Information

Ride:SCRAMBLERSerial No.:402-73-R94Manufacturer:ELI BRIDGEManufacture Date:1973Seating Capacity:36Child Seating Capacity:Ride Speed:11 rpm

Post-Inspection Remarks:

<u>Conditions / Violations</u> <u>Viol. Date</u> <u>Correct By</u> <u>Resolved</u> <u>Comment</u>

Crack/Fatigued metal. Weld repair req 5/6/2021 12:(5/5/2021 12:(5/6/2021 12:(repair cracked panels seats 2/12 by next

season

adjust lap bars 3/10



John F. King, Commissioner Safety Fire Division-Safety Engineering 2 Martin Luther King, Jr. Drive West Tower, Suite 920 Atlanta, GA 30334

Location:

LAKE WINNEPESAUKEH 1730 LAKEVIEW DR ROSSVILLE GA 30741 WALKER COUNTY

PHONE: (706) 866-5681

PERMIT CONTACT: STEVE JAMES 423-320-1890

Inspection Date: 05/06/2021

Permit Number: AP-0093

Permit Expiration Date: 12/31/2021

State Identification No.: FAM-102767

Inspection Status: Pass

Inspection Type: Annual Inspection

GA Permit Sticker No.:

Inspector: OWEN BULLARD

Equipment Information

Ride:WACKY WORMSerial No.:0123-92-15Manufacturer:FAJUMEManufacture Date:1991

Seating Capacity: 24 Child Seating Capacity: 36 Ride Speed: VARIABLE

Post-Inspection Remarks:

<u>Conditions / Violations</u> <u>Viol. Date</u> <u>Correct By</u> <u>Resolved</u> <u>Comment</u>



John F. King, Commissioner Safety Fire Division-Safety Engineering 2 Martin Luther King, Jr. Drive West Tower, Suite 920 Atlanta, GA 30334

Location:

LAKE WINNEPESAUKEH 1730 LAKEVIEW DR ROSSVILLE GA 30741 WALKER COUNTY PHONE: (706) 866-5681 Inspection Date: 05/06/2021

Permit Number: AP-0093

Permit Expiration Date: 12/31/2021

State Identification No.: FAM-150643

Inspection Status: Pass

Inspection Type: Annual Inspection

GA Permit Sticker No.:

Inspector: OWEN BULLARD

Equipment Information

Ride: BOAT CHUTE Serial No.: 18

Manufacturer:SHOP MADEManufacture Date:1927Seating Capacity:42Child Seating Capacity:Ride Speed:var

Post-Inspection Remarks:

<u>Conditions / Violations</u> <u>Viol. Date</u> <u>Correct By</u> <u>Resolved</u> <u>Comment</u>



John F. King, Commissioner Safety Fire Division-Safety Engineering 2 Martin Luther King, Jr. Drive West Tower, Suite 920 Atlanta, GA 30334

Location:

LAKE WINNEPESAUKEH 1730 LAKEVIEW DR ROSSVILLE GA 30741 WALKER COUNTY PHONE: (706) 866-5681 Inspection Date: 05/06/2021

Permit Number: AP-0093

Permit Expiration Date: 12/31/2021

State Identification No.: FAM-172032

Inspection Status: Pass

Inspection Type: Annual Inspection

GA Permit Sticker No.:

Inspector: OWEN BULLARD

Equipment Information

Ride:BALLOON RIDESerial No.:R61GUS98Manufacturer:ZAMPERLAManufacture Date:1999Seating Capacity:32Child Seating Capacity:Ride Speed:7.5 mph

Post-Inspection Remarks:

<u>Conditions / Violations</u> <u>Viol. Date</u> <u>Correct By</u> <u>Resolved</u> <u>Comment</u>



John F. King, Commissioner Safety Fire Division-Safety Engineering 2 Martin Luther King, Jr. Drive West Tower, Suite 920 Atlanta, GA 30334

Location:

LAKE WINNEPESAUKEH 1730 LAKEVIEW DR ROSSVILLE GA 30741 WALKER COUNTY PHONE: (706) 866-5681 Inspection Date: 05/06/2021

Permit Number: AP-0093

Permit Expiration Date: 12/31/2021

State Identification No.: FAM-198684

Inspection Status: Pass

Inspection Type: Annual Inspection

GA Permit Sticker No.:

Inspector: OWEN BULLARD

Equipment Information

Ride: WAVE SWINGER Serial No.: 321

Manufacturer:ZIERERManufacture Date:1974Seating Capacity:32Child Seating Capacity:48Ride Speed:10 rpm

Post-Inspection Remarks:

<u>Conditions / Violations</u> <u>Viol. Date</u> <u>Correct By</u> <u>Resolved</u> <u>Comment</u>



John F. King, Commissioner Safety Fire Division-Safety Engineering 2 Martin Luther King, Jr. Drive West Tower, Suite 920 Atlanta, GA 30334

Location:

LAKE WINNEPESAUKEH 1730 LAKEVIEW DR ROSSVILLE GA 30741 WALKER COUNTY PHONE: (706) 866-5681 Inspection Date: 05/06/2021

Permit Number: AP-0093

Permit Expiration Date: 12/31/2021

State Identification No.: KID-153431

Inspection Status: Pass

Inspection Type: Annual Inspection

GA Permit Sticker No.:

Inspector: OWEN BULLARD

Equipment Information

Ride:MOTORCYCLESSerial No.:ap153431Manufacturer:HAMPTONManufacture Date:1984Seating Capacity:20Child Seating Capacity:20Ride Speed:6 rpm

Post-Inspection Remarks:

<u>Conditions / Violations</u> <u>Viol. Date</u> <u>Correct By</u> <u>Resolved</u> <u>Comment</u>



John F. King, Commissioner Safety Fire Division-Safety Engineering 2 Martin Luther King, Jr. Drive West Tower, Suite 920 Atlanta, GA 30334

Location:

LAKE WINNEPESAUKEH 1730 LAKEVIEW DR ROSSVILLE GA 30741 WALKER COUNTY PHONE: (706) 866-5681 Inspection Date: 05/06/2021

Permit Number: AP-0093

Permit Expiration Date: 12/31/2021

State Identification No.: KID-153493

Inspection Status: Pass

Inspection Type: Annual Inspection

GA Permit Sticker No.:

Inspector: ROBERT HARRIS

Equipment Information

Ride:SPORTS CARSSerial No.:ap 153493Manufacturer:HAMPTONManufacture Date:1980Seating Capacity:32Child Seating Capacity:32Ride Speed:6 rpm

Post-Inspection Remarks:

<u>Conditions / Violations</u> <u>Viol. Date</u> <u>Correct By</u> <u>Resolved</u> <u>Comment</u>



John F. King, Commissioner Safety Fire Division-Safety Engineering 2 Martin Luther King, Jr. Drive West Tower, Suite 920 Atlanta, GA 30334

Location:

LAKE WINNEPESAUKEH 1730 LAKEVIEW DR ROSSVILLE GA 30741 WALKER COUNTY

PHONE: (706) 866-5681

PERMIT CONTACT: STEVE JAMES 423-320-1890

Inspection Date: 05/06/2021

Permit Number: AP-0093

Permit Expiration Date: 12/31/2021

State Identification No.: KID-180142

Inspection Status: Pass

Inspection Type: Annual Inspection

GA Permit Sticker No.:

Inspector: OWEN BULLARD

Equipment Information

Ride: FROG HOPPER Serial No.: F 2014

Manufacturer:S & SManufacture Date:2000

Seating Capacity: 7 Child Seating Capacity: Ride Speed: 3 mph UP AND DOWN

Post-Inspection Remarks:

<u>Conditions / Violations</u> <u>Viol. Date</u> <u>Correct By</u> <u>Resolved</u> <u>Comment</u>



John F. King, Commissioner Safety Fire Division-Safety Engineering 2 Martin Luther King, Jr. Drive West Tower, Suite 920 Atlanta, GA 30334

Location:

LAKE WINNEPESAUKEH 1730 LAKEVIEW DR ROSSVILLE GA 30741 WALKER COUNTY PHONE: (706) 866-5681 Inspection Date: 05/06/2021

Permit Number: AP-0093

Permit Expiration Date: 12/31/2021

State Identification No.: KID-198681

Inspection Status: Pass

Inspection Type: Annual Inspection

GA Permit Sticker No.:

Inspector: OWEN BULLARD

Equipment Information

Ride:BUMBLE BEESSerial No.:1712059Manufacturer:ALLEN HERSCHELLManufacture Date:1959Seating Capacity:Child Seating Capacity:16Ride Speed:7 rpm

Post-Inspection Remarks:

<u>Conditions / Violations</u> <u>Viol. Date</u> <u>Correct By</u> <u>Resolved</u> <u>Comment</u>



John F. King, Commissioner Safety Fire Division-Safety Engineering 2 Martin Luther King, Jr. Drive West Tower, Suite 920 Atlanta, GA 30334

Location:

LAKE WINNEPESAUKEH 1730 LAKEVIEW DR ROSSVILLE GA 30741 WALKER COUNTY PHONE: (706) 866-5681 Inspection Date: 05/06/2021

Permit Number: AP-0093

Permit Expiration Date: 12/31/2021

State Identification No.: KID-198683

Inspection Status: Pass

Inspection Type: Annual Inspection

GA Permit Sticker No.:

Inspector: OWEN BULLARD

Equipment Information

Ride:FREE WHALESerial No.:USPF017Manufacturer:MOSERManufacture Date:2000Seating Capacity:Child Seating Capacity:32Ride Speed:var

Post-Inspection Remarks:

<u>Conditions / Violations</u> <u>Viol. Date</u> <u>Correct By</u> <u>Resolved</u> <u>Comment</u>



John F. King, Commissioner Safety Fire Division-Safety Engineering 2 Martin Luther King, Jr. Drive West Tower, Suite 920 Atlanta, GA 30334

Location:

LAKE WINNEPESAUKEH 1730 LAKEVIEW DR ROSSVILLE GA 30741 WALKER COUNTY PHONE: (706) 866-5681 Inspection Date: 05/06/2021

Permit Number: AP-0093

Permit Expiration Date: 12/31/2021

State Identification No.: KID-242842

Inspection Status: Pass

Inspection Type: Annual Inspection

GA Permit Sticker No.:

Inspector: OWEN BULLARD

Equipment Information

Ride:MUSHROOMSerial No.:242842Manufacturer:CHANCEManufacture Date:1979Seating Capacity:Child Seating Capacity:24Ride Speed:6 rpm

Post-Inspection Remarks:

<u>Conditions / Violations</u> <u>Viol. Date</u> <u>Correct By</u> <u>Resolved</u> <u>Comment</u>



John F. King, Commissioner Safety Fire Division-Safety Engineering 2 Martin Luther King, Jr. Drive West Tower, Suite 920 Atlanta, GA 30334

Location:

LAKE WINNEPESAUKEH 1730 LAKEVIEW DR ROSSVILLE GA 30741 WALKER COUNTY PHONE: (706) 866-5681 Inspection Date: 05/06/2021

Permit Number: AP-0093

Permit Expiration Date: 12/31/2021

State Identification No.: SPC-160104

Inspection Status: Pass

Inspection Type: Annual Inspection

GA Permit Sticker No.:

Inspector: OWEN BULLARD

Equipment Information

Ride:TWISTERSerial No.:US434106Manufacturer:MooserManufacture Date:2004

Seating Capacity: 21 Child Seating Capacity: Ride Speed: 11 R P M

Post-Inspection Remarks:

<u>Conditions / Violations</u> <u>Viol. Date</u> <u>Correct By</u> <u>Resolved</u> <u>Comment</u>



John F. King, Commissioner Safety Fire Division-Safety Engineering 2 Martin Luther King, Jr. Drive West Tower, Suite 920 Atlanta, GA 30334

Location:

LAKE WINNEPESAUKEH 1730 LAKEVIEW DR ROSSVILLE GA 30741 WALKER COUNTY

PHONE: (706) 866-5681

PERMIT CONTACT: STEVE JAMES 423 320 1890

Inspection Date: 05/06/2021

Permit Number: AP-0093

Permit Expiration Date: 12/31/2021

State Identification No.: SPC-166493

Inspection Status: Pass

Inspection Type: Annual Inspection

GA Permit Sticker No.:

Inspector: OWEN BULLARD

Equipment Information

Ride:ORBITORSerial No.:4862230Manufacturer:EXSACO-TIVOLIManufacture Date:1993Seating Capacity:36Child Seating Capacity:Ride Speed:20 rpm

Post-Inspection Remarks:

<u>Conditions / Violations</u> <u>Viol. Date</u> <u>Correct By</u> <u>Resolved</u> <u>Comment</u>



John F. King, Commissioner Safety Fire Division-Safety Engineering 2 Martin Luther King, Jr. Drive West Tower, Suite 920 Atlanta, GA 30334

Location:

LAKE WINNEPESAUKEH 1730 LAKEVIEW DR ROSSVILLE GA 30741 WALKER COUNTY PHONE: (706) 866-5681 Inspection Date: 05/06/2021

Permit Number: AP-0093

Permit Expiration Date: 12/31/2021

State Identification No.: THR-152359

Inspection Status: Pass

Inspection Type: Annual Inspection

GA Permit Sticker No.:

Inspector: OWEN BULLARD

Equipment Information

Ride: PIRATE Serial No.: 387

Manufacturer:SDCManufacture Date:1984Seating Capacity:40Child Seating Capacity:Ride Speed:var

Post-Inspection Remarks:

<u>Conditions / Violations</u> <u>Viol. Date</u> <u>Correct By</u> <u>Resolved</u> <u>Comment</u>



John F. King, Commissioner Safety Fire Division-Safety Engineering 2 Martin Luther King, Jr. Drive West Tower, Suite 920 Atlanta, GA 30334

Location:

LAKE WINNEPESAUKEH 1730 LAKEVIEW DR ROSSVILLE GA 30741 WALKER COUNTY PHONE: (706) 866-5681 Inspection Date: 05/06/2021

Permit Number: AP-0093

Permit Expiration Date: 12/31/2021

State Identification No.: THR-153344

Inspection Status: Pass

Inspection Type: Annual Inspection

GA Permit Sticker No.:

Inspector: OWEN BULLARD

Equipment Information

Ride:MATTERHORNSerial No.:ap153344Manufacturer:MACKManufacture Date:1977Seating Capacity:40Child Seating Capacity:Ride Speed:10 rpm

Post-Inspection Remarks:

<u>Conditions / Violations</u> <u>Viol. Date</u> <u>Correct By</u> <u>Resolved</u> <u>Comment</u>

Retaining Devices. 5/6/2021 12:0 seats 9-13 lap bars taged out



John F. King, Commissioner Safety Fire Division-Safety Engineering 2 Martin Luther King, Jr. Drive West Tower, Suite 920 Atlanta, GA 30334

Location:

LAKE WINNEPESAUKEH 1730 LAKEVIEW DR ROSSVILLE GA 30741 WALKER COUNTY

PHONE: (706) 866-5681

PERMIT CONTACT: STEVE JAMES 423 320 1890

Inspection Date: 05/06/2021

Permit Number: AP-0093

Permit Expiration Date: 12/31/2021

State Identification No.: THR-172125

Inspection Status: Pass

Inspection Type: Annual Inspection

GA Permit Sticker No.:

Inspector: OWEN BULLARD

Equipment Information

Ride:PARATROOPERSerial No.:AP 172125Manufacturer:HRUBETZManufacture Date:1972Seating Capacity:20Child Seating Capacity:Ride Speed:12 rpm

Post-Inspection Remarks:

<u>Conditions / Violations</u> <u>Viol. Date</u> <u>Correct By</u> <u>Resolved</u> <u>Comment</u>



John F. King, Commissioner Safety Fire Division-Safety Engineering 2 Martin Luther King, Jr. Drive West Tower, Suite 920 Atlanta, GA 30334

Location:

LAKE WINNEPESAUKEH 1730 LAKEVIEW DR ROSSVILLE GA 30741 WALKER COUNTY

PHONE: (706) 866-5681

PERMIT CONTACT: STEVE JAMES 423-320-1890

Inspection Date: 05/06/2021

Permit Number: AP-0093

Permit Expiration Date: 12/31/2021

State Identification No.: THR-214848

Inspection Status: Pass

Inspection Type: Annual Inspection

GA Permit Sticker No.:

Inspector: OWEN BULLARD

Equipment Information

Ride: CONESTOGA Serial No.: 47723

Manufacturer:HUSSManufacture Date:1984Seating Capacity:36Child Seating Capacity:Ride Speed:9 rpm

Post-Inspection Remarks:

<u>Conditions / Violations</u> <u>Viol. Date</u> <u>Correct By</u> <u>Resolved</u> <u>Comment</u>



John F. King, Commissioner Safety Fire Division-Safety Engineering 2 Martin Luther King, Jr. Drive West Tower, Suite 920 Atlanta, GA 30334

Location:

LAKE WINNEPESAUKEH 1730 LAKEVIEW DR ROSSVILLE GA 30741 WALKER COUNTY PHONE: (706) 866-5681 Inspection Date: 05/06/2021

Permit Number: AP-0093

Permit Expiration Date: 12/31/2021

State Identification No.: THR-243079

Inspection Status: Pass

Inspection Type: Annual Inspection

GA Permit Sticker No.:

Inspector: OWEN BULLARD

Equipment Information

Ride:FIREBALLSerial No.:12PT700110Manufacturer:LARSONManufacture Date:2012Seating Capacity:20Child Seating Capacity:Ride Speed:13 rpm

Post-Inspection Remarks:

<u>Conditions / Violations</u> <u>Viol. Date</u> <u>Correct By</u> <u>Resolved</u> <u>Comment</u>



John F. King, Commissioner Safety Fire Division-Safety Engineering 2 Martin Luther King, Jr. Drive West Tower, Suite 920 Atlanta, GA 30334

Location:

LAKE WINNEPESAUKEH 1730 LAKEVIEW DR ROSSVILLE GA 30741 WALKER COUNTY

PHONE: (706) 866-5681

PERMIT CONTACT: STEVE JAMES 423 320 1890

Inspection Date: 05/06/2021

Permit Number: AP-0093

Permit Expiration Date: 12/31/2021

State Identification No.: THR-197218

Inspection Status: Pass

Inspection Type: Annual Inspection

GA Permit Sticker No.:

Inspector: OWEN BULLARD

Equipment Information

Ride:SUPER SHOTSerial No.:107-03-01-06Manufacturer:LARSON INT/A.R.M.Manufacture Date:2006Seating Capacity:12Child Seating Capacity:Ride Speed:47 mph

Post-Inspection Remarks:

<u>Conditions / Violations</u> <u>Viol. Date</u> <u>Correct By</u> <u>Resolved</u> <u>Comment</u>



John F. King, Commissioner Safety Fire Division-Safety Engineering 2 Martin Luther King, Jr. Drive West Tower, Suite 920 Atlanta, GA 30334

Location:

LAKE WINNEPESAUKEH 1730 LAKEVIEW DR ROSSVILLE GA 30741 WALKER COUNTY PHONE: (706) 866-5681 Inspection Date: 05/06/2021

Permit Number: AP-0093

Permit Expiration Date: 12/31/2021

State Identification No.: THR-100650

Inspection Status: Pass

Inspection Type: Annual Inspection

GA Permit Sticker No.:

Inspector: OWEN BULLARD

Equipment Information

Ride: CANNON BALL COASTER Serial No.: 1

Manufacturer:PTCManufacture Date:1966Seating Capacity:36Child Seating Capacity:Ride Speed:50 mph

Post-Inspection Remarks:

<u>Conditions / Violations</u> <u>Viol. Date</u> <u>Correct By</u> <u>Resolved</u> <u>Comment</u>



John F. King, Commissioner Safety Fire Division-Safety Engineering 2 Martin Luther King, Jr. Drive West Tower, Suite 920 Atlanta, GA 30334

Location:

LAKE WINNEPESAUKEH 1730 LAKEVIEW DR ROSSVILLE GA 30741 WALKER COUNTY PHONE: (706) 866-5681 Inspection Date: 05/06/2021

Permit Number: AP-0093

Permit Expiration Date: 12/31/2021

State Identification No.: THR-100642

Inspection Status: Pass

Inspection Type: Annual Inspection

GA Permit Sticker No.:

Inspector: OWEN BULLARD

Equipment Information

Ride:ROUND UPSerial No.:ap100642Manufacturer:HRUBETZManufacture Date:1980Seating Capacity:42Child Seating Capacity:Ride Speed:16 rpm

Post-Inspection Remarks:

<u>Conditions / Violations</u> <u>Viol. Date</u> <u>Correct By</u> <u>Resolved</u> <u>Comment</u>



John F. King, Commissioner Safety Fire Division-Safety Engineering 2 Martin Luther King, Jr. Drive West Tower, Suite 920 Atlanta, GA 30334

Location:

LAKE WINNEPESAUKEH 1730 LAKEVIEW DR ROSSVILLE GA 30741 WALKER COUNTY PHONE: (706) 866-5681 Inspection Date: 05/06/2021

Permit Number: AP-0093

Permit Expiration Date: 12/31/2021

State Identification No.: KID-100647

Inspection Status: Pass

Inspection Type: Annual Inspection

GA Permit Sticker No.:

Inspector: OWEN BULLARD

Equipment Information

Ride:JUMBO ELEPHANTSSerial No.:ap-100647Manufacturer:BERTIZONEManufacture Date:1980Seating Capacity:Child Seating Capacity:24Ride Speed:6 rpm

Post-Inspection Remarks:

<u>Conditions / Violations</u> <u>Viol. Date</u> <u>Correct By</u> <u>Resolved</u> <u>Comment</u>



John F. King, Commissioner Safety Fire Division-Safety Engineering 2 Martin Luther King, Jr. Drive West Tower, Suite 920 Atlanta, GA 30334

Location:

LAKE WINNEPESAUKEH 1730 LAKEVIEW DR ROSSVILLE GA 30741 WALKER COUNTY PHONE: (706) 866-5681 Inspection Date: 05/06/2021

Permit Number: AP-0093

Permit Expiration Date: 12/31/2021

State Identification No.: FAM-198682

Inspection Status: Pass

Inspection Type: Annual Inspection

GA Permit Sticker No.:

Inspector: OWEN BULLARD

Equipment Information

Ride:FERRIS WHEELSerial No.:1034-56Manufacturer:ELI BRIDGEManufacture Date:1956Seating Capacity:48Child Seating Capacity:Ride Speed:4.5 rpm

Post-Inspection Remarks:

<u>Conditions / Violations</u> <u>Viol. Date</u> <u>Correct By</u> <u>Resolved</u> <u>Comment</u>



John F. King, Commissioner Safety Fire Division-Safety Engineering 2 Martin Luther King, Jr. Drive West Tower, Suite 920 Atlanta, GA 30334

Location:

LAKE WINNEPESAUKEH 1730 LAKEVIEW DR ROSSVILLE GA 30741 WALKER COUNTY PHONE: (706) 866-5681 Inspection Date: 05/06/2021

Permit Number: AP-0093

Permit Expiration Date: 12/31/2021

State Identification No.: FAM-166491

Inspection Status: Pass

Inspection Type: Annual Inspection

GA Permit Sticker No.:

Inspector: OWEN BULLARD

Equipment Information

Ride: PARACHUTES Serial No.: 24003

Manufacturer:VENTUREManufacture Date:1990Seating Capacity:12Child Seating Capacity:Ride Speed:40 fpm

Post-Inspection Remarks:

<u>Conditions / Violations</u> <u>Viol. Date</u> <u>Correct By</u> <u>Resolved</u> <u>Comment</u>



John F. King, Commissioner Safety Fire Division-Safety Engineering 2 Martin Luther King, Jr. Drive West Tower, Suite 920 Atlanta, GA 30334

Location:

LAKE WINNEPESAUKEH 1730 LAKEVIEW DR ROSSVILLE GA 30741 WALKER COUNTY PHONE: (706) 866-5681 Inspection Date: 05/06/2021

Permit Number: AP-0093

Permit Expiration Date: 12/31/2021

State Identification No.: FAM-153490

Inspection Status: Pass

Inspection Type: Annual Inspection

GA Permit Sticker No.:

Inspector: OWEN BULLARD

Equipment Information

Ride:TILT A WHIRLSerial No.:153490Manufacturer:SELLNERManufacture Date:1977Seating Capacity:28Child Seating Capacity:Ride Speed:6.5 rpm

Post-Inspection Remarks:

<u>Conditions / Violations</u> <u>Viol. Date</u> <u>Correct By</u> <u>Resolved</u> <u>Comment</u>

Operations Test. 5/6/2021 12:0 adjust brake on tub 2



John F. King, Commissioner Safety Fire Division-Safety Engineering 2 Martin Luther King, Jr. Drive West Tower, Suite 920 Atlanta, GA 30334

Location:

LAKE WINNEPESAUKEH 1730 LAKEVIEW DR ROSSVILLE GA 30741 WALKER COUNTY PHONE: (706) 866-5681 Inspection Date: 05/06/2021

Permit Number: AP-0093

Permit Expiration Date: 12/31/2021

State Identification No.: FAM-100645

Inspection Status: Pass

Inspection Type: Annual Inspection

GA Permit Sticker No.:

Inspector: OWEN BULLARD

Equipment Information

Ride:TOUR TRAIN #1 & #2Serial No.:5070-24,5035-24Manufacturer:CHANCEManufacture Date:1970Seating Capacity:56Child Seating Capacity:Ride Speed:10 mph

Post-Inspection Remarks:

<u>Conditions / Violations</u> <u>Viol. Date</u> <u>Correct By</u> <u>Resolved</u> <u>Comment</u>

Retaining Devices. 5/11/2021 12 repair show wheel swing arm



John F. King, Commissioner Safety Fire Division-Safety Engineering 2 Martin Luther King, Jr. Drive West Tower, Suite 920 Atlanta, GA 30334

Location:

LAKE WINNEPESAUKEH 1730 LAKEVIEW DR ROSSVILLE GA 30741 WALKER COUNTY PHONE: (706) 866-5681 Inspection Date: 05/06/2021

Permit Number: AP-0093

Permit Expiration Date: 12/31/2021

State Identification No.: KID-153491

Inspection Status: Pass

Inspection Type: Annual Inspection

GA Permit Sticker No.:

Inspector: OWEN BULLARD

Equipment Information

Ride:LADY BUGSSerial No.:ap153491Manufacturer:MODERN PRODUCTSManufacture Date:1980Seating Capacity:24Child Seating Capacity:24Ride Speed:7.5 rpm

Post-Inspection Remarks:

<u>Conditions / Violations</u> <u>Viol. Date</u> <u>Correct By</u> <u>Resolved</u> <u>Comment</u>



John F. King, Commissioner Safety Fire Division-Safety Engineering 2 Martin Luther King, Jr. Drive West Tower, Suite 920 Atlanta, GA 30334

Location:

LAKE WINNEPESAUKEH 1730 LAKEVIEW DR ROSSVILLE GA 30741 WALKER COUNTY

PHONE: (706) 866-5681

PERMIT CONTACT: STEVE JAMES 423-320-1890

Inspection Date: 05/06/2021

Permit Number: AP-0093

Permit Expiration Date: 12/31/2021

State Identification No.: FAM-100659

Inspection Status: Pass

Inspection Type: Annual Inspection

GA Permit Sticker No.:

Inspector: OWEN BULLARD

Equipment Information

Ride:ANTIQUE CARSSerial No.:100659Manufacturer:ARROWManufacture Date:1980Seating Capacity:4Child Seating Capacity:Ride Speed:6 mph

Post-Inspection Remarks:

<u>Conditions / Violations</u> <u>Viol. Date</u> <u>Correct By</u> <u>Resolved</u> <u>Comment</u>



John F. King, Commissioner Safety Fire Division-Safety Engineering 2 Martin Luther King, Jr. Drive West Tower, Suite 920 Atlanta, GA 30334

Location:

LAKE WINNEPESAUKEH 1730 LAKEVIEW DR ROSSVILLE GA 30741 WALKER COUNTY PHONE: (706) 866-5681 Inspection Date: 05/06/2021

Permit Number: AP-0093

Permit Expiration Date: 12/31/2021

State Identification No.: FAM-100653

Inspection Status: Pass

Inspection Type: Annual Inspection

GA Permit Sticker No.:

Inspector: OWEN BULLARD

Equipment Information

Ride:BUMPER CARSSerial No.:AP 100653Manufacturer:SDCManufacture Date:1973Seating Capacity:38Child Seating Capacity:Ride Speed:var

Post-Inspection Remarks:

<u>Conditions / Violations</u> <u>Viol. Date</u> <u>Correct By</u> <u>Resolved</u> <u>Comment</u>



John F. King, Commissioner Safety Fire Division-Safety Engineering 2 Martin Luther King, Jr. Drive West Tower, Suite 920 Atlanta, GA 30334

Location:

LAKE WINNEPESAUKEH 1730 LAKEVIEW DR ROSSVILLE GA 30741 WALKER COUNTY PHONE: (706) 866-5681 Inspection Date: 05/06/2021

Permit Number: AP-0093

Permit Expiration Date: 12/31/2021

State Identification No.: FAM-100648

Inspection Status: Pass

Inspection Type: Annual Inspection

GA Permit Sticker No.:

Inspector: ROBERT HARRIS

Equipment Information

Ride: WACKY FACTORY Serial No.: 21

Manufacturer:HOLLINGSWORTHManufacture Date:1972Seating Capacity:12Child Seating Capacity:Ride Speed:2 mph

Post-Inspection Remarks:

<u>Conditions / Violations</u> <u>Viol. Date</u> <u>Correct By</u> <u>Resolved</u> <u>Comment</u>



John F. King, Commissioner Safety Fire Division-Safety Engineering 2 Martin Luther King, Jr. Drive West Tower, Suite 920 Atlanta, GA 30334

Location:

LAKE WINNEPESAUKEH 1730 LAKEVIEW DR ROSSVILLE GA 30741 WALKER COUNTY PHONE: (706) 866-5681 Inspection Date: 05/06/2021

Permit Number: AP-0093

Permit Expiration Date: 12/31/2021

State Identification No.: KID-172023

Inspection Status: Pass

Inspection Type: Annual Inspection

GA Permit Sticker No.:

Inspector: ROBERT HARRIS

Equipment Information

Ride:KIDDIE SWINGSSerial No.:200003Manufacturer:SARTORIManufacture Date:1995Seating Capacity:Child Seating Capacity:10Ride Speed:11rpm

Post-Inspection Remarks:

<u>Conditions / Violations</u> <u>Viol. Date</u> <u>Correct By</u> <u>Resolved</u> <u>Comment</u>



John F. King, Commissioner Safety Fire Division-Safety Engineering 2 Martin Luther King, Jr. Drive West Tower, Suite 920 Atlanta, GA 30334

Location:

LAKE WINNEPESAUKEH 1730 LAKEVIEW DR ROSSVILLE GA 30741 WALKER COUNTY PHONE: (706) 866-5681 Inspection Date: 05/06/2021

Permit Number: AP-0093

Permit Expiration Date: 12/31/2021

State Identification No.: KID-153495

Inspection Status: Pass

Inspection Type: Annual Inspection

GA Permit Sticker No.:

Inspector: ROBERT HARRIS

Equipment Information

Ride:KIDDIE BOATSSerial No.:ap153495Manufacturer:HAMPTONManufacture Date:1972Seating Capacity:18Child Seating Capacity:18Ride Speed:4 rpm

Post-Inspection Remarks:

<u>Conditions / Violations</u> <u>Viol. Date</u> <u>Correct By</u> <u>Resolved</u> <u>Comment</u>



John F. King, Commissioner Safety Fire Division-Safety Engineering 2 Martin Luther King, Jr. Drive West Tower, Suite 920 Atlanta, GA 30334

Location:

LAKE WINNEPESAUKEH 1730 LAKEVIEW DR ROSSVILLE GA 30741 WALKER COUNTY PHONE: (706) 866-5681 Inspection Date: 05/06/2021

Permit Number: AP-0093

Permit Expiration Date: 12/31/2021

State Identification No.: FAM-100632

Inspection Status: Pass

Inspection Type: Annual Inspection

GA Permit Sticker No.:

Inspector: ROBERT HARRIS

Equipment Information

Ride:ALPINE WAYSerial No.:100632Manufacturer:O.D. HOPKINSManufacture Date:1968Seating Capacity:40Child Seating Capacity:Ride Speed:9 min

Post-Inspection Remarks:

<u>Conditions / Violations</u> <u>Viol. Date</u> <u>Correct By</u> <u>Resolved</u> <u>Comment</u>



John F. King, Commissioner Safety Fire Division-Safety Engineering 2 Martin Luther King, Jr. Drive West Tower, Suite 920 Atlanta, GA 30334

Location:

LAKE WINNEPESAUKEH 1730 LAKEVIEW DR ROSSVILLE GA 30741 WALKER COUNTY PHONE: (706) 866-5681 Inspection Date: 05/27/2021

Permit Number: AP-0093

Permit Expiration Date: 12/31/2021

State Identification No.: WAT-221980

Inspection Status: Pass

Inspection Type: Annual Inspection

GA Permit Sticker No.:

Inspector: OWEN BULLARD

Equipment Information

Ride: TWIST & SHOUT Serial No.: 3

Manufacturer:AQUA BLUEManufacture Date:2013Seating Capacity:3Child Seating Capacity:Ride Speed:VAR

Post-Inspection Remarks:

<u>Conditions / Violations</u> <u>Viol. Date</u> <u>Correct By</u> <u>Resolved</u> <u>Comment</u>



John F. King, Commissioner Safety Fire Division-Safety Engineering 2 Martin Luther King, Jr. Drive West Tower, Suite 920 Atlanta, GA 30334

Location:

LAKE WINNEPESAUKEH 1730 LAKEVIEW DR ROSSVILLE GA 30741 WALKER COUNTY PHONE: (706) 866-5681 Inspection Date: 05/27/2021

Permit Number: AP-0093

Permit Expiration Date: 12/31/2021

State Identification No.: WAT-221979

Inspection Status: Pass

Inspection Type: Annual Inspection

GA Permit Sticker No.:

Inspector: OWEN BULLARD

Equipment Information

Ride: CRAZY RIVER Serial No.: 2

Manufacturer:Aqua BlueManufacture Date:2013Seating Capacity:Child Seating Capacity:Ride Speed:Var

Post-Inspection Remarks:

<u>Conditions / Violations</u> <u>Viol. Date</u> <u>Correct By</u> <u>Resolved</u> <u>Comment</u>



John F. King, Commissioner Safety Fire Division-Safety Engineering 2 Martin Luther King, Jr. Drive West Tower, Suite 920 Atlanta, GA 30334

Location:

LAKE WINNEPESAUKEH 1730 LAKEVIEW DR ROSSVILLE GA 30741 WALKER COUNTY PHONE: (706) 866-5681 Inspection Date: 05/27/2021

Permit Number: AP-0093

Permit Expiration Date: 12/31/2021

State Identification No.: WAT-143746

Inspection Status: Pass

Inspection Type: Annual Inspection

GA Permit Sticker No.:

Inspector: OWEN BULLARD

Equipment Information

Ride: ZOOM FLUME Serial No.: 29002

Manufacturer:O.D. HOPKINSManufacture Date:1995Seating Capacity:2Child Seating Capacity:Ride Speed:var

Post-Inspection Remarks:

<u>Conditions / Violations</u> <u>Viol. Date</u> <u>Correct By</u> <u>Resolved</u> <u>Comment</u>



John F. King, Commissioner Safety Fire Division-Safety Engineering 2 Martin Luther King, Jr. Drive West Tower, Suite 920 Atlanta, GA 30334

Location:

LAKE WINNEPESAUKEH 1730 LAKEVIEW DR ROSSVILLE GA 30741 WALKER COUNTY PHONE: (706) 866-5681 Inspection Date: 05/27/2021

Permit Number: AP-0093

Permit Expiration Date: 12/31/2021

State Identification No.: WAT-221978

Inspection Status: Pass

Inspection Type: Annual Inspection

GA Permit Sticker No.:

Inspector: OWEN BULLARD

Equipment Information

Ride: SOAK & SLIDE Serial No.:

Manufacturer:ADGManufacture Date:2013Seating Capacity:4Child Seating Capacity:Ride Speed:VAR

Post-Inspection Remarks:

<u>Conditions / Violations</u> <u>Viol. Date</u> <u>Correct By</u> <u>Resolved</u> <u>Comment</u>



John F. King, Commissioner Safety Fire Division-Safety Engineering 2 Martin Luther King, Jr. Drive West Tower, Suite 920 Atlanta, GA 30334

Location:

LAKE WINNEPESAUKEH 1730 LAKEVIEW DR ROSSVILLE GA 30741 WALKER COUNTY PHONE: (706) 866-5681 Inspection Date: 05/27/2021

Permit Number: AP-0093

Permit Expiration Date: 12/31/2021

State Identification No.: WAT-221981

Inspection Status: Pass

Inspection Type: Annual Inspection

GA Permit Sticker No.:

Inspector: OWEN BULLARD

Equipment Information

Ride: SPLISH & SPLASH Serial No.: 4

Manufacturer:AQUA BLUEManufacture Date:2013Seating Capacity:3Child Seating Capacity:Ride Speed:VAR

Post-Inspection Remarks:

<u>Conditions / Violations</u> <u>Viol. Date</u> <u>Correct By</u> <u>Resolved</u> <u>Comment</u>



John F. King, Commissioner Safety Fire Division-Safety Engineering 2 Martin Luther King, Jr. Drive West Tower, Suite 920 Atlanta, GA 30334

Location:

LAKE WINNEPESAUKEH 1730 LAKEVIEW DR ROSSVILLE GA 30741 WALKER COUNTY PHONE: (706) 866-5681 Inspection Date: 05/27/2021

Permit Number: AP-0093

Permit Expiration Date: 12/31/2021

State Identification No.: WAT-235272

Inspection Status: Pass

Inspection Type: Annual Inspection

GA Permit Sticker No.:

Inspector: OWEN BULLARD

Equipment Information

Ride: WHIZZARD Serial No.: 36186

Manufacturer:WHITE WATERManufacture Date:2017Seating Capacity:5Child Seating Capacity:Ride Speed:VAR

Post-Inspection Remarks:

<u>Conditions / Violations</u> <u>Viol. Date</u> <u>Correct By</u> <u>Resolved</u> <u>Comment</u>