



**Yakima Health District**  
1210 Ahtanum Ridge Drive  
Union Gap, Washington 98903  
Phone (509) 575-4040

June 16<sup>th</sup>, 2022

Mike Sheldon  
DTG Enterprises, Inc.  
P.O. Box 14203  
Mill Creek, WA 98082

RE: DTG Enterprises, Inc. Material Recovery Facility permit (HSW2020-00003).

Mr. Sheldon,

Enclosed with this letter is the permit for your Material Recovery Facility. Please remember that the facility should at all times operate in compliance with local, state and federal rules and avoid participating in sham recycling activities. If violations of rules or sham recycling activities are discovered, the Yakima Health District will abate those violations as appropriate.

If you have any questions, please call me at (509) 249-6504.

Sincerely,

  
Steven Newchurch  
Environmental Health Specialist

cc Washington State Department of Ecology



**Yakima Health District**  
1210 Ahtanum Ridge Drive  
Union Gap, Washington 98903  
Phone (509) 575-4040

SOLID WASTE PERMIT  
TO OPERATE THE  
DTG ENTERPRISES, INC. MATERIAL RECOVERY FACILITY

Permit number HSW2020-00003

This permit is valid only based upon the accuracy of the below information and compliance with any attached conditions. The permit is not transferable. Any changes must have prior approval of, or be initiated by, the Yakima County Health District. Any fees paid are not refundable in whole or in part after the permit issue date.

To Operate:	DTG Enterprises, Inc. Material Recovery Facility
Issued To (Permittee):	DTG Enterprises, Inc.
Permittee Mailing Address:	P.O. Box 14203 Mill Creek, WA. 99082
Date Issued:	June 16 <sup>th</sup> , 2022
Expiration Date:	Last day of July 2023
Fee Amount:	\$187.00
Fee Paid:	\$187.00
Site Location:	41 Rocky Top Rd. Yakima, WA 98908
Conditions:	Attached
Authorizing Signature	 For Yakima Health District

***DTG ENTERPRISES, INC.***  
***MATERIAL RECOVERY FACILITY***

WAC 173-350-210(4)(e) requires an impervious tipping floor. The applicant has successfully demonstrated that the lack of an impervious surface on the tipping floor is as protective of human health and the environment in this case. The approval of this variance applies as long as the tipping floor is within the landfill footprint.

Since the applicant proposes to not have an impervious tipping floor and to utilize the existing permitted active landfill area, WAC 173-350-210(4)(g) does not apply. This variance is only in effect as long the tipping floor is within the landfill footprint and the Limited Purpose Landfill continues to be permitted.

WAC 173-350-210(4)(f) requires a cover over the tipping floor. The applicant has successfully demonstrated that the lack of a cover is protective of human health the the environment as long as the tipping floor is within the landfill footprint.

Conditions

1. The permittee shall operate the facility in conformance with the Yakima County Comprehensive County-Wide Solid Waste Management Plan and all written communications from the Yakima Health District.
2. The permittee shall keep records in compliance with WAC 173-350-210.
3. The permittee shall employ measures to prevent emission of fugitive dusts (i.e. watering of roads and working area).
4. No burning of any waste will be allowed on the site.
5. The permittee shall close the facility in accordance with the approved closure plan contained in the application dated May 2021.
6. The permittee shall prevent unauthorized dumping during off-hours by controlling entry (i.e. lockable gate or barrier) when the facility is not being used.
7. The permittee shall operate the site in compliance with the approved operation plan contained in the application dated May 2021 (v1.2).

8. The permittee shall submit annual reports to the Yakima Health District and the Department of Ecology as detailed in WAC 173-350-210(6)(b). These reports must detail volumes and types of materials received since the last report, the volumes and types of materials shipped (recycled) since the last report, and volumes and types of materials disposed since the last report.
9. All salvaging and recycling must occur within the run-on/run-off controls for the landfill.
10. All open piles of salvaged/recyclable materials must comply with WAC 173-350-320 – Piles Used For Storage Or Treatment.
11. The permittee shall not accept materials containing municipal solid waste.
12. Any other proposed waste stream for salvaging/recycling must be approved by the Yakima Health District, with concurrence from Ecology, prior to commencing recycling operations with that waste stream.
13. Only Material Recovery Facility residuals from this Material Recovery Facility may be disposed of in the DTG Limited Purpose Landfill (if the material is appropriate for disposal in this landfill). No residuals from other Material Recovery Facilities may be disposed of in this landfill.
14. All UTC standards for the transportation of solid waste, including recyclable materials, must be complied with.
15. Any materials that could be negatively impacted by precipitation or exposure are to be kept in covered containers.
16. All recyclables stored at this site must be protected as commodities. (They must be protected from degradation.)
17. The permittee must comply with all applicable regulations.

The waste types that will be accepted at the Material Recovery Facility include:

- Cured concrete
- Asphaltic materials
- Metal
- Construction, demolition and land clearing debris
- Wood
- Cardboard

Other waste streams may be acceptable for recycling at this facility with prior approval of the Yakima Health District with concurrence from the Washington State Department of Ecology.