



Yakima Health District
1210 Ahtanum Ridge Drive
Union Gap, Washington 98903
Phone (509) 575-4040

June 16th, 2022

Mike Sheldon
DTG Enterprises, Inc.
P.O. Box 14203
Mill Creek, WA 98082

RE: DTG Enterprises, Inc. Limited Purpose Landfill permit (HSW2019-00020).

Mr. Sheldon,

Enclosed with this letter is the renewed permit for your Limited Purpose Landfill. The list of recyclables will be updated when the material recovery facility permit is issued. If you have any questions, please call me at (509) 249-6504.

Sincerely,

Steven Newchurch
Environmental Health Specialist

cc Washington State Department of Ecology



Yakima Health District
1210 Ahtanum Ridge Drive
Union Gap, Washington 98903
Phone (509) 575-4040

SOLID WASTE PERMIT
TO OPERATE THE
DTG ENTERPRISES, INC. LIMITED PURPOSE LANDFILL

Permit number HSW2019-00020

This permit is valid only based upon the accuracy of the below information and compliance with any attached conditions. The permit is not transferable. Any changes must have prior approval of, or be initiated by, the Yakima County Health District. Any fees paid are not refundable in whole or in part after the permit issue date.

To Operate:	DTG Enterprises, Inc. Limited Purpose Landfill
Issued To (Permittee):	DTG Enterprises, Inc.
Permittee Mailing Address:	P.O. Box 14203 Mill Creek, WA. 99082
Date Issued:	June 16, 2022
Expiration Date:	Last day of June 2023
Fee Amount:	\$564.00
Fee Paid:	\$564.00
Site Location:	41 Rocky Top Rd. Yakima, WA 98908
Conditions:	Attached
Authorizing Signature	 For Yakima Health District

DTG ENTERPRISES, INC.
LIMITED PURPOSE LANDFILL

Demonstrations

- A. WAC 173-350-400(2)(c) requires that the landfill's active area be 200 feet from a stream. It has been successfully demonstrated in the application dated December 2007 that a 50' setback to the drainage channel on this site is adequate. A 50 foot setback to the intermittent drainage way is hereby approved.
- B. It has been demonstrated in the application dated December 2007 that the proposed alternative cover and liner is as protective as the prescriptive cover and liner for this site. The proposed alternative cover and liner are hereby approved.
- C. It has been demonstrated in the *Geotechnical Evaluation Stability of Waste Embankments* dated March 5, 2008 that a 2:1 final slope grade is acceptable for this site. The 2:1 final slope is hereby approved. **THIS MAY CHANGE PENDING REGULATORY REVIEW**

Variance

The applicant has requested and has been granted a reduction in the setback between the fill to the property line from 100 feet to 50 feet.

Conditions

- 1. The permittee shall operate the facility in conformance with the Yakima County Comprehensive County-wide Solid Waste Management Plan and all written communications from the Yakima Health District.
- 2. The permittee shall keep records in compliance with WAC 173-350-400.
- 3. The permittee shall employ measures to prevent emission of fugitive dusts (i.e. watering of roads and covering).
- 4. Timbers, wood and other combustible waste shall be covered as needed during the summer months to avoid a fire hazard.
- 5. No burning of any waste will be allowed on the site.
- 6. The permittee shall close the facility in accordance with the approved closure plan contained in the application dated April 27, 2015, amended July 2015.

7. The permittee shall meet the requirements of WAC 173-350-400(8)(e), Recording with the County Auditor.
8. The permittee shall only accept approved wastes as described in the application dated v1.0 June 2020 (see attached). ***No tires, household waste, grass clippings, asphalt less than 5 years old, old fuel or oil tanks shall be accepted.***
9. The permittee shall prevent unauthorized disposal during off-hours by controlling entry (i.e. lockable gate or barrier) when the facility is not being used.
10. The permittee shall operate the site in compliance with the approved operation plan contained in the application dated June 2020.
11. The permittee shall construct the final grade of the site to direct runoff away from the filled area as described in the closure plan contained in the application dated April 27, 2015, amended July 2015.
12. The permittee shall submit annual reports to the Yakima Health District and the Department of Ecology as detailed in WAC 173-350-400(4)(e). These reports must detail volumes and types of materials received since the last report and the volumes and types of materials shipped since the last report. This includes all materials removed from the waste for recycling or that have passed through this facility for recycling.
13. The permittee shall have a Certified Landfill Operator on-site or on-call at all times the landfill is open to the public.
14. If the working face gets larger than 8,000 square feet in size, the facility will notify the Yakima Health District and not accept any more waste until the working face is smaller than 8,000 square feet.
15. All plans and notifications shall be submitted to the Yakima Health District and the Department of Ecology for review and approval prior to construction.
16. The permittee shall handle all salvaging/recycling as described in the operations plan dated June 2020.
17. All salvaging/recycling must occur within the run-on/run-off controls for the landfill/PCS Remediation Site.
18. All open piles of salvaged/recyclable materials must comply with WAC 173-350-320.
19. The permittee shall not dispose of municipal solid waste in the DTG, Inc. Limited Purpose Landfill.

20. The permittee is approved to salvage/recycle concrete, asphalt, metal, plastic, wood waste, and cardboard at this time.
21. Any other proposed waste stream for salvaging/recycling must be approved by the Yakima Health District prior to commencing recycling operations with that waste stream.
22. All source separated recyclables for recycling must be processed through the Material Recovery Facility.
23. No reduction in ground water monitoring frequency or landfill gas monitoring frequency is allowed without the written approval of the Yakima Health District.
24. Dredge spoil disposal must be approved by the Yakima Health District prior to acceptance at the landfill for disposal. Each of these approvals is one-time only and future dredge spoil approvals must be obtained before accepting other dredge spoils.

The waste types that will be accepted at the LPL include:

- Cured Concrete;
- Asphaltic Materials;
- Brick and Masonry;
- Ceramic Materials;
- Glass;
- Stainless Steel ;
- Aluminum;
- Lime;
- Dirt and Rock ;
- Construction, demolition, and land-clearing debris;
- Wood-waste;
- Ash (other than special incinerator ash); and
- Dredge spoils with prior approval.

Other waste might be acceptable for disposal in this landfill on a case-by-case basis with prior approval of the Yakima Health District.

The waste types approved for recycling at the LPL include:

- Concrete;
- Asphalt;
- Metal;
- Wood;
- Cardboard